

Product datasheet for **MG226889**

Bub1 (NM_001113179) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Bub1 (NM_001113179) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Bub1
Synonyms: AL022991; Bub1a; C80208; D2Xrf87
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG226889 representing NM_001113179
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGACAACCTAGAAAATGTCTTTCGCATGTTTGAAGCCCATATGCAAAGCTACACGGTAAATGACCCAC
 TTGGAGAATGGGAAAGCTTTATAAAGTGGGTAGAAGAGAATTTTCTGACAATAAAGAATACTTGATGAC
 ATTATTAGAACATTTAATGAAGGAATTTTACATAAGAAGAACTACCACAATGATTCAAGATTCATCAAT
 TATTGCTTAAATTTGCTGAGTACAACAGCGACCGTCATCAGTTTTTTGAGTTTCTGTACAACAGGGAA
 TTGGAACCAAGTCATCATATATACATGTCCTGGGCAGGCATCTGGAAGCCCAGGAGAGCTGCAGCA
 TGCCAGTGCTATTTTTAGACAGGAATTCACAATGAGGCTGAACCTAAAGAACTACTACAGCAACAATAC
 AGGCTATTCCAAGCACGCCTTACTGGAATCCATTTGCCAGCTCAAGCTACAACCTCAGAACCTTTGCATA
 GTGCACAGATTTTAAACCAAGTTATGATGACAACTCAAGTCCAGAAAAAACTCAGCCTGTGTTCCATA
 GAGTCAGGGTTCAGAATGTTCTGGTGTGGCATCTTCCACTTGTGATGAAAAGTCTAATATTAGGGAACAA
 AGGGTATCATGATTTCCAAGTCAGAATGCTCTGTGAGCTCATCTGTGGCACCCAAGCCTGAGGCTCAGC
 AAGTTATGACTGCAAGGAAAAGCTTATTCGTGGAGATTCAGAATTTTCTTTGAAGAACTGAGAGCCCA
 GAAATATAATCAAAGGAAGAAGCATGAGCAGTGGGTTAGTGAAGACAGAAATTATGAAAAGGAAAAGAA
 GCAAATGCTTTTGAAGAGCAATTATTAACAGAAAATGGATGAACCTCACAAGAAATTCATCAAGTGG
 TGGAAATGTCACACAAGGACCTTCTGCTTCTGAGAACAGGCCTGATGTTAGTCTAGTATGTGTTGGACA
 AAATACTTGCTCCCAGCAGGAATGAGGGTCCAAGTCTTTCATCCATCAGTCATCAGACCTCAGAGAGT
 TCAGGAGAGAAACCACAGGAAGAACCCTTCTGTTCTTATGGTAAATGCTGTTAACAGCACTTTGCTGT
 TCCCAGCTGCCAACCTGCCAGCTCTTCTGTTCTGTAAGTGGCCAGTCATTGACAGACTCCAGATGTGT
 GAATCAAAGTGTTCATGAATTCATGCCACAGTGTGGACCAGAAACAAAAGAGTGTGTGAAACAAATAAA
 GTTGCCAGCATTAAATGATTTTCATACAACTCCAAACACATCATTGGGAATGGTTCAAGGAACACCATGCA
 AAGTGCAGCCATACCAACTGTCCACCAAGGAAGCATTAGGTTTCATCATGGACATGTTTCAGGCTCC
 AACACTTCTGACATTTCTGATGATAAAGATGAATGGCCATCTCTGGACCAAAATGAAGATGCATTTGAA



[View online »](#)

```
GCCAGTTTCAAAAAATGCAGTATCTTCGGGAGATTGGGGAGTTAAAAAATTATGACTTTGTCATCTG
CTTTTCCTATTTTTGAAGATGGAACAAAGAAAATTATGGCTTACCACAGCCTAAAAATAAGCCCTTAGG
AGCTAGGACCTTTGGAGAACGATCTCTCAGTAAATATTCTCGAGATCAATGAAATGCCTCACACTGAT
GAGTTTATGGATGATTCAACAGTATGTGGTATTCGCTGCAACAAAACCTAGCTCCCAGTCTAAAAAGTA
TAGGAGACTTTACATCTGCTGCCAACTTTTCGTCTACACCATTCCACAAAATTTCCAGCAGATTTAGTACA
GATTCCAGAAGATAAAGAAAATGTGGTAGCCACACAGTATACACATATGGCTTTGGATTCTTGAAGAA
AACATAGTGGACCTCTCAAAAGGCAGAAAAGCTTGGGCCAATTCAGAGAAAATTTCCAGCATCTTTACCT
GTCCTAGTCAGCCTGCCACAGGTGGTTTGTTCACCCAGGAAGCAGTGTTGCGCCTTGAGGCTTTTAAATG
CACAGGCATTGACCATGCGACAGTGGAAGACCTATCCGATGCCAATGCTGGGCTCCAAGTTGAATGCGTG
CAGACACTTGAAATGTCAATGCTCCAAGCTTTACTGTTGAGAACCCTGGGATGATGAATTGATTCTTA
AACTTCTCTGGACTTTCTAAGCCAGTACTTCTATTCAAATACTTTTGGTGGCAGAGTAACTTCC
AGCCATCAAGACCAAGACAGAATATCAATTGGGTTCTTTGCTGGTCTATGTGAATCACCTTCTGGAGAA
GGAGCCTTTGCTCAAGTCTTTGAAGCTATTCATGGAGATGTGAGAAATGCCAAAAGTGAACAGAAATGCA
TTTTGAAGGTGCAGAGACCTGCCAACTCTGGGAATTCTACATTGGGATGCAGCTGATGGAAGACTAAA
GCCAGAAGTACATCACATGTTCAAGTTTTATTCTGCTCATTATTCAAGAACGGCAGCATATTAGTA
GGGGAACCTACAGCTATGGGACGTTACTAAATGTCATTAACCTCTATAAAAATACCTCTGAAAAAGTGA
TGCCCCAGGCTCTTGTCCTCACTTTTCGCTATCAGAATGCTTTACATGGTTGAACAAGTCCACAGCTGCGA
AATCATTATGAGACATTAAGCCAGATAAATTCATACTAGGACACAGATTTTTGGAACAGGCTGATGAA
GACTTAGCTACCGGCTTGGCATTGATTGACCTGGGTCAGAGTATAGATATGAAACTTTTCCCTAAAGGAA
CTGTATTTACAGGAAAATGTGAAACATCTGTTTTTTCAGTGTCTGAGATGCTCAGTAAACAAGCCATGGAA
CTACCAGATTGATTACTTTGGAGTTGCTGCAACAATACTGTATGCTCTTTGGCTTTACATGAAAGTA
AAAAATGAAGGAGGAGTCTGAAACCTGAAGGTCTTTTGAAGGCTTCTCATTGGATATGTGGGAGG
AATTTTTTACATCATGTTGAATATACCGGATGTCATAATCTTCCATCTTTGGATTTTCTGAGACAGAA
TATGAAGAAATTACTTGAACAACAGTATCCAAACAAGATTAAGACCTTGCCTAATAGGCTAATTGTGATG
CTTTCAGAATATAAGCGTTCAAGAAAA
```

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>MG226889 representing NM_001113179

Red=Cloning site Green=Tags(s)

```
MDNLENVFRMF EAHMQSYTGNDPLGEWESFIKWVEENFPDNKEYLMTLLEHLMKEFLHKKNYHNSRFIN
YCLKFAEYNSDRHQFFFLYNQIGTKSSYIYMSWAGHLEAQGELQHASAIFQTGIHNEAEPKELLQQQY
RLFQARLTGIHLPAQATTSEPLHSAQILNQVMMTNSSPEKNSACVPKSQLGSECSGVSSTCDEKSNIREQ
RVIMISKSECSVSSSVAPKPEAQVQMYCKEKLIRGDSEFSFEELRAQYNQRKKHEQWVSEDNRNMYKRKE
ANAFEEQLLKQKMDLHKKLHQVVELSHKDLPASENRPDVSLVCVGQNTCSQQELRGPSSISHTQSES
SGEKPQEEPSVPLMVNAVNSTLLFPAANLPALPVPVSGQSLTDSRCVNSVHEFMPQCGPETKEVCETNK
VASINDFHPTTNTSLGMVQGTQPKVQPSPTVHTKEALGFIMDMFQAPTLPDISDDKDEWPSLDQNEFAFE
AQFQKNAVSSGDWGVKKIMTLSSAFPIFEDGNKENYGLPQPKNKPLGARTFGERSLSKYSSRSNEMPHTD
EFMDDSTVCGIRCNTLAPSPKIGDFTSAAQLSSTPFHKFPADLVQIPEDKENVVATQYTHMALDSCKE
NIVDL SKGRKLGPIQEKISASLPCPSQPATGGLFTQEAVFGLEAFKCTGIDHATVEDLSDANAGLQVECV
QTLGNVNAAPSFTVENPWDELILKLLSGLSKPVTYSNTFEWQSKLPAIKTKTEYQLGSLLVYVNHLLGE
GAF AQVFEAIHGDVRNAKSEQKILKVQRPANSWEFYIGMQLMERLKPEVHHMFIKFYSAHLFKNGSILV
GELYSYGTLLNVINLYKNTSEKVMQALVLTFAIRMLYMVEQVHSCEI IHGDIKPDNFI LGHRFLEQADE
DLATGLALIDLQSIDMKLFPKGTVFTGKCETSGFQCEPLSNKPWNYQIDYFGVAATIYCMFLFGSYMKV
KNEGGVWKPEGLFRRLPHLDMWEEFFHIMLNIPDCHNLPSLDFLRQNMKKLLEQQYSNKIKTLRNLRIVM
LSEYKRSRK
```

TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001113179.1, NP_001106650.1</u>
RefSeq Size:	4337 bp
RefSeq ORF:	3180 bp
Locus ID:	12235
UniProt ID:	<u>Q08901</u>
Cytogenetics:	2 62.1 cM
Gene Summary:	Serine/threonine-protein kinase that performs 2 crucial functions during mitosis: it is essential for spindle-assembly checkpoint signaling and for correct chromosome alignment. Has a key role in the assembly of checkpoint proteins at the kinetochore, being required for the subsequent localization of CENPF, BUB1B, CENPE and MAD2L1. Required for the kinetochore localization of PLK1. Required for centromeric enrichment of AUKRB in prometaphase. Plays an important role in defining SGO1 localization and thereby affects sister chromatid cohesion. Acts as a substrate for anaphase-promoting complex or cyclosome (APC/C) in complex with its activator CDH1 (APC/C-Cdh1). Necessary for ensuring proper chromosome segregation and binding to BUB3 is essential for this function. Can regulate chromosome segregation in a kinetochore-independent manner. Can phosphorylate BUB3. The BUB1-BUB3 complex plays a role in the inhibition of APC/C when spindle-assembly checkpoint is activated and inhibits the ubiquitin ligase activity of APC/C by phosphorylating its activator CDC20. This complex can also phosphorylate MAD1L1. Kinase activity is essential for inhibition of APC/CCDC20 and for chromosome alignment but does not play a major role in the spindle-assembly checkpoint activity. Mediates cell death in response to chromosome missegregation and acts to suppress spontaneous tumorigenesis. Essential during early and later stages of embryonic development. Necessary for postimplantation embryogenesis and proliferation of primary embryonic fibroblasts and plays an important role in spermatogenesis and fertility.[UniProtKB/Swiss-Prot Function]