

Product datasheet for **MG226939**

Pola1 (NM_008892) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Pola1 (NM_008892) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Pola1
Synonyms:	AW321876; Pola
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG226939 representing NM_008892 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGGCGCCCATGCACGAAGAGGACTGTAACCTGGAGGCAAGCGCTGTGTCAGATTCAGGGAGTTTTGCAG
CTTCCCGAGCTCGGCGAGAAAAGAAATCAAAGAAAGGACGTCAAGAAGCTTTAGAGAGACTGAAAAAGGC
TAAAGCTGGGGAGAAGTATAAATACGAAGTTGAGGACCTCACAAGTGTTTATGAAGAAGTTGATGAAGAG
CAGTATTCGAAACTGGTTCAGGCCCGTCAGGATGATGACTGGATTGTGGATGACGATGGGATAGGCTATG
TGAAGATGGCAGAGAGATTTTTGATGATGACCTTGAGGATGATGCACCTTGACACCTGTGAAAAAGGAAG
TGATGGCAAAGCACACAGAAAGGACAGGAAGGATGTAAGAAACCTTCAGTGACAAAACCAACAATATC
AAGGCAATGTTTCATTGCTAGTGCCGGAAGAAAACACAGATAAAGCAGTAGACTTGTCCAAGGATGATC
TGCTAGGTGACATTCTACAGGATCTAAACACTGAGACAGCTCAAATAACTCCACCACCTGTATTGATACC
AAAGAAAAAAGATCTACTGGGGCTTGTCTCAACCCTTTTTTCAGTGACACCCCTAAGGCAATTCCTTCA
GGAAAACCTGCTCCCTGTCTCAGGAATGAGCCTCTGTTAACTCCCATTCTCTTAAACGTGCTGAAC
TTGCTGGAGAGCTGGCTCAGCCAGAATGTCCAGAAGATGAGCAGGAGCTAGGGGTAAATGGAGTTTGAAGA
CGGTGACTTTGATGAGTCCATGGACACAGAGAAGGTAGATGAGAAGCCTGTGACTGCTAAGACTTGGGAC
CAAGAGACTGAGCCAGTAGAAAGGGTGGAAACATGAGGCAGATCCTGAGAGGGGAACCACATCTTACTTAG
AAAATTTTCTGCCAGATGTCTCTTGTGGGACATTGATCAGGATGATGAAAGCATACCTCAGGAAGTTCA
AGTGGATTCCAGTAATCTCCATTGGTAAAAGGGCAGATGATGAACAAGTGTTCAGTTTTATTGGCTG
GATGCTTATGAAGATCCATACAACCAACAGGTGTGGTTTTTCTGTTTGGCAAAGTGTGGATTGAATCAG
TCAAAACCCATGTGAGCTGTTGTGTTATGGTAAAAATATTGAGCGAACACTCTACTTCTTCCCCGTGA
AATGAAATTTGACCTAACACAGGGAAAGAAACAGCAATTCAGTTACAATGAAGGATGTTTATGAAGAA
TTTGATTCAAAAATTTAGCAAAAATATAAATAATGAAGTTCAAGTCCAAGATAGTGAAAAAGAACTATG
CTTTTGGATACCTGATGTTCCAGAAAAATCTGAGTACCTGGAAGTTAGATACTCGGCAGAAAGTCCACA
GCTTCCACAGAATTTAAAAGGAGAAACATTTTCTCATGTGTTTGGAACTAACACGCTAGCTTGGAACTG



[View online »](#)

TTCTTGATGAATAGGAAGATCAAAGGACCTTGTTGGCTTGAAGTAAAAATCCACAACCTTGAATCAGC
CAATCAGTTGGTGTAAATTTGAGGTAATGGCTTTGAAACCAGACCTGGTGAATGTAAATTAAGGATGTCAG
TCCTCCTCCACTTGTGGTGTATGCTTTCAGCATGAAGACAATGCAGAATGTACAGAACCATCAACATGAG
ATTATTGCTATGGCGGCTTTGGTTCATCACAGTTTTGCATTAGATAAAGCACCTCCAGAGCCTCCCTTTC
AGACACATTTCTGTGTTGTCTAAACCAAGGACTGTATTTCCCATGTGATTTCAAAGAAGTGATTTTC
GAAAAAGAATATGAAGGTTGAGATCGCTGCAACAGAAAGAACCTTGATAGGATTTTTCTTGCAAAAGTT
CACAAAATTGACCCTGACATTCTGTGGTGCATAATATTTGTAGTTTTGAACTGGAAGTGCTGCTGCAAA
GAATTAATGAGTGCAAGGTTCTTACTGGTCCAAGATAGGTCGGCTGAGGAGATCCAACATGCCAAAAC
TGGGAGCCGGAGTGATTTGGTGAAGAATGCTACCTGTGGCCGAATGATATGTGATGTGGAAATTTCA
GCAAAAGAATTGATTCATTGTAAAAGCTACCATTTGTCTGAACCTGTTCCAGCAGATTCTGAAAACCTGAGA
GGATTGTAATCCAACAGAAAATATACGAAACATGTATAGTGAATCTTCTTATCTGTTGTACCTGTTGGA
ACATATCTGAAAAGATGCCAGATTCATTTTCAGATCATGTGTGAGCTAAATGTTCTCCATTAGCATTG
CAGATCACTAACATCGCTGGGAACATTATGTCTAGGACTGATGGGTGGACGATCTGAGCGAAATGAGT
TTTTGTTGCTTCATGCATTTTATGAAAACAATATATTGTGCCTGACAAGCAGATTTTCAGAAAACCTCA
GCAAAAACCTGGGAGATGAAGATGAGGAAATGATGGGGACACCAATAAATACAAGAAAGGGCGTAGAAA
GCAACTTACGCTGGAGGCTTGGTTTTGGACCCAAAGTTGGTTTTATGACAAGTTCATTTTGTCTCTGG
ATTTCAACAGTTTATATCCTTCCATCATTACAGGAATTTAACATTTGTTTTACAACAGTGCAAGAGTTAC
TTCAGAGGTGCAGAAAGCTACAGAGGATGAGGAACAAGAACAGATCCCTGAGTTGCCAGATCCAACTTA
GAGATGGGCATTTTGCCAGAGAGATTCGGAAACTGGTAGAGCGGAGAAAAAAGTCAAACAGCTAATGA
AACAGCAAGATTTAAATCCAGACCTTGTCTTCAGTATGACATCCGACAGAAAGGCTTTGAAGCTCACAGC
AAACAGTATGTATGGTTGGCTGGGATTTTCGTACAGCAGATTTTATGCTAAACACTGGCTGCCTTGGT
ACATACAAAGGAAGGGAGATTTTGATGCATACGAAAGACATGGTACAGAAGATGAATCTTGAAGTATTT
ATGGAGACACAGATTCATTAATGATAAAATACCAATAGCACCAACCTGGAAGAAGTATTTAAGTTGGGAAA
CAAGGTAAAAAGTGAAGTGAATAAATTTGACAAACTGCTTGAAATAGACATTTGATGCTGTTTTCAAGTCT
CTGCTGTTGCTGAAGAAAAGAAATATGCTGCTCTAGTTGTTGAACCAACATCAGATGGGAATTACATTA
CCAAGCAGGAGCTGAAAGGATTAGATATAGTTAGAAGAGACTGGTGTGATCTTGCCAAGGACACTGGAAA
CTTTGTCAATGGCCAGATTTCTTCTGATCAAAGCCGGGACACCATTGTGGAAAACATTGAGAAGAGGTTA
ATAGAAATGGAGAAAATGTGCTAAATGGCAGTGTCCAGTGAGCCAGTTTGAATTAACAAGGCATTGA
CAAAGGATCCCCAGGATTACCCTGATAGAAAAAGCTTACCTCATGTACATGTTGCACTGTGGATAAATTC
TCAAGGAGGCAGGAAGGTGAAAGCTGGTGTACGGTGCCTATGTTATTTGTCAGGATGGGTCAAACCTC
ACTGCAACTCAGAGGGCCTATGCCCCAGAACAATTGCAGAACTTGACAATTTAGCCATCGACACCCAAT
ACTACTTGGCCCAGCAGATCCACCCTGTTGTGGCTCGGATCTGTGAGCCAATAGATGGAATTTGATGCTGT
ACTCATTGCATTATGGCTAGGACTTGACTCCACTCAATTTAGAGTTCATCAGTATCACAAGATGAAGAG
AATGATGCCCTCCTTGGTGGTCCAGCACAGCTAATGATGAAGAGAAAATACAAGGATTGTGAAAAATTTCA
AATGCCTTTGCTTTCATGTGGAACGAAAATATTTATGATAATGTCTTTGAAGGCTCGGGACTGGATAT
GGAACCCAGTTTGTATCGTTGCAGTAATGTTGATTGTAAGGTTTCACCGTTGACCTTCATGGTACAGCTG
AGCAACAAATTGATCATGGACATTAGACGGTGCATTAAGGACTATGATGGCTGGTTGATATGTGAAG
AGCCAATTGTTGCAGTCGCCTTCGACGCTTCCCTTCATTTCTCCGAAATGGGCCTGTGTCCAGT
CTGCATGAAAGCTGTGCTTAGACCAGAGTATTCTGACAAGTCTTGTACACCCAGCTGTGCTTTTACC GG
TACATTTTTGATGCGGACTGTGCACTGGAAAACTTACTGAACATGAGAAAGATAAATGAAAGAAGCAGT
TTTTCCCTCTCCGAGTTCTTACGACTACAGAAAAGTCAAGAACATAGCAGAGCAGTTCTTGTCTGGAG
TGCTACTCTGAAGTGAACCTCAGCAAGCTCTTCCCAATTACGCTGGGAAGTCC

ACGGTACGCGGCCGCTCGAG - GFP Tag - GTTAA

Protein Sequence: >MG226939 representing NM_008892
 Red=Cloning site Green=Tags(s)


MAPMHEEDCKLEASAVSDSGSFAASRARREKSKKGRQEALERLKKAKAGEKYKYEVEDLTSVYEEVDDEE
 QYSKLVQARQDDDWIVDDDGIGYVEDGREIFDDLEDDALDTGKGSDDGKAHRKDRKDVKKPSVTKPNNI
 KAMFIASAGKKTDDKAVDL SKDDLLGDILQDLNTEAQITPPPVLIPKKRSTGALLNPFVHTPKAIPS
 GKPAASPVL RNEPLL TPIPLKRAELAGELAQPECEPEDEQELGVMEFEDGDFDESMOTEKVDEKPVTAKTWD
 QETEPVERVEHEADPERGTTSYLENFLPDVSCWDIDQDDESI PQEVQVDSNNLPLVKGADDEQVFQFYWL
 DAYEDPNYQPGVVFLFGKVWIESVKTHVSCCVMVKNIERTL YFLPREMKFDLNTGKETAIPVTMKDYEE
 FDSKISAKYKIMFKFSKIVEKNYAFEIPDVPEKSEYLEVRYSAEVPQLPQNLKGETFSHFVGTNTSSLEL
 FLMNRKIKGPCWLEVKNPQLLNQPI SWCKFEVMALKPDLVNVIKDVSPPLVVMFSMKTMQNVQNHQHE
 I IAMAALVHHSFALDKAPPEPPFQTHFCVVS KPKDCIFPCDFKEVISKKNMKVEIAATERTLIGFFLAKV
 HKIDPDILVGHNICSFELEVLLQRINECKVPYWSKIGRLRRSNMPKLGSRSGFGERNATCGRMICDVEIS
 AKELIHCKSYHLSLVQQLKTERIVIPTENIRNMYSESSYLLYLLEHIWKDARFILQIMCENLVLPLAL
 QITNIAGNIMSRTL MGRSERNEFLLLHAFYENNYIVPDKQIFRKPQQKLGDEDEEIDGDTNKYKGRKK
 ATYAGGLVDPKVGFYDKFILLDFNSLYPSIIQEFNICFTTVQRTSEVQKATEDEEQEIQPELPDPNL
 EMGILPREIRKL VERRKQVQLMKQQDLNPDVLQYDIRQKALKLTANSYMGCLGFSYSRFYAKPLAALV
 TYKGREILMHTKDMVQKMNLEVIYGD TDSIMINTNSTNLEE VFKLGKVKVSEVNKLYKLEIDIDAVFKS
 LLLLKKKKYAALVVEPTSDGNYITKQELKGLDIVRRDWCDLAKDTGNFVIGQILSDQSRDITVENIQKRL
 IEIGENVLNGSVPVSQFEINKALTKDPQDYPDRKSLPHVHVALWINSQGRKVKAGD TVSYVICQDGSNL
 TATQRAYAPEQLKLDNLAIDTQYYLAQQIHPVVARICEPIDGIDAVLIALWLGLDSTQFRVHQYHKDEE
 NDALLGGPAQLTDEEKYDCEKFKCLCPSCGTENIYDNVFE GSGLDMEPSLYRCSNVDCV SPLTFMVQL
 SNKLIMDIRRICKKYYDGLICEEPTCCSRLRRLPLHFSRNGPLCPVCMKAVLRPEYSDKSLYTLQCFYR
 YIFDADCALEKLTEHEKDKLKKQFFPLRVLQDYRKVKNIAEQFLSWSGYSEVNL SKLFANYAGKS

TRTRPLE - GFP Tag - V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_008892

ORF Size: 4395 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_008892.2](#), [NP_032918.1](#)

RefSeq Size: 5350 bp

RefSeq ORF: 4398 bp

Locus ID: 18968

UniProt ID: [P33609](#)

Cytogenetics: X 41.06 cM

Gene Summary: Plays an essential role in the initiation of DNA replication. During the S phase of the cell cycle, the DNA polymerase alpha complex (composed of a catalytic subunit POLA1/p180, a regulatory subunit POLA2/p70 and two primase subunits PRIM1/p49 and PRIM2/p58) is recruited to DNA at the replicative forks via direct interactions with MCM10 and WDHD1. The primase subunit of the polymerase alpha complex initiates DNA synthesis by oligomerising short RNA primers on both leading and lagging strands. These primers are initially extended by the polymerase alpha catalytic subunit and subsequently transferred to polymerase delta and polymerase epsilon for processive synthesis on the lagging and leading strand, respectively. The reason this transfer occurs is because the polymerase alpha has limited processivity and lacks intrinsic 3' exonuclease activity for proofreading error, and therefore is not well suited for replicating long complexes. In the cytosol, responsible for a substantial proportion of the physiological concentration of cytosolic RNA:DNA hybrids, which are necessary to prevent spontaneous activation of type I interferon responses.[UniProtKB/Swiss-Prot Function]