

Product datasheet for **MG227123**

Ap2a1 (NM_001077264) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ap2a1 (NM_001077264) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ap2a1
Synonyms:	Adtaa
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG227123 representing NM_001077264
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCGGTGTATCCAAAGGCGATGGCATGCGTGGGCTCGCCGTGTTTCATCTCCGACATCCGGAAGTCA
 AGAGCAAAGAGGCTGAGATCAAGAGGATCAACAAGGAAGTGGCCAACATCCGTTCCAAGTTCAAAGGGGA
 CAAGGCCTTGGATGGCTACAGTAAAAAGAAGTATGTGTGAAGCTGCTTTCATATTCCTGCTTGGCCAT
 GACATTGACTTTGGACATATGGAGGCCGTGAACCTGCTAAGCTCTAACAAGTACACGGAGAAGCAGATAG
 GGTACCTGTTTCATCTCAGTCTGGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGT
 GAATGACCTGGCCAGTCGCAACCCACCTTCATGTGCCTGGCCTTGCACTGTATCGCTAACGTGGGCAGC
 CGTGAGATGGGCGAGGCTTTTGTGCAGACATCCCGAATCCTGGTGGTGGGACAGCATGGACAGTG
 TGAAGCAGAGTGGCCCTATGCCTACTGCGACTCTACAAGGCCCTGCCCCGACTTGGTGGCCATGGGCGA
 GTGGACGGCAGTGTAGTGCCTTGTCAATGATCAGCACATGGGAGTGGTACAGCTGCTGTCAGCCTC
 ATCACCTGTCTCTGCAAGAAGAATCCGGATGACTTCAAGACCTGTATCTCCCTGGCTGTGTCTCGTTAA
 GCCGGATCGTCTCCTCAGCCTCCACTGACCTCCAGGACTACACTTACTACTTCGTTCTGCAACCTGGCT
 CTCTGTGAAGCTACTGCGGCTGCTCCAGTGTACCCACCACCAGAGGATGCAGCCGTGAAAGGGCGGTTA
 GTGGAGTGTCTGGAGACTGTGCTCAACAAGGCCAGGAGCCTCCCAAGTCCAAGAAGGTGCAGCACTCCA
 ACGCCAAGAACGCTATCCTCTTTGAGACCATTAGCCTCATCATCCACTATGACAGTGAGCCCAACCTCCT
 GGTCCGCGCTGCAACCAGCTGGCCAGTTCCTGCAGCACCGGGAGACTAACCTGCGCTACCTGGCCCTG
 GAGAGCATGTGCACGCTGGCCAGCTCCGAGTTCCTCCACGAGGCCGTCAAGACCCACATTGATACAGTTA
 TTAATGCCCTCAAGACGGAGCGGAGCTCAGTGTGAGGCAGCGGGCGGCTGATCTCCTGTATGCCATGTG
 TGACCGGAGCAATGCCAAGCAGATTGTGTGAGAGATGCTGCGGTACCTGGAGACTGCTGACTATGCCATC
 CGAGAGGAGATCGTGTGAAGGTGGCCATCCTGGCTGAGAAGTATGCAGTGGACTACAGCTGGTACGTGG
 ACACCATCTCAACCTCATCCGCATCGCGGGGACTATGTGAGCGAGGAGGTGTGGTACCGCGTGTGCA
 GATCGTACCAACCGTGTGACGTCCAGGGTTATGCTGCCAAGACAGTGTGGAGGCCCTCCAGGCCCA
 GCCTGTGATGAGAATGGTGAAGTGGTGGCTACATCCTTGGGGAGTTTGGGAACTTGATTGCTGGGG
 ACCCACGCTCCAGCCACCAGTGCAGTTCCTGCTGCTGCACTCCAAGTTCACCTGTGCAGCGTGGCCAC
 CCGCGCTCTGTTGCTGTCCACCTACATCAAGTTCATCAACCTCTCCCTGAGACCAAGGCCACCATCAA
 GGGTTTCTGCGTCCGGCTCCCAGCTGCGAAATGCCGACGTGGAGCTACAGCAGCGGGCCGTGGAGTACC
 TCAACCTCAGCTCCGTAGCCAGCACCGATGTTCTGGCTACGGTGTGTAAGAAATGCCCCATTTCCCGA
 GCGGGAGTCGTCCATCTTGGCCAAGCTGAAGCGCAAGAAGGGCCCTGGGGCAGCCAGTGCCTTAGATGAC
 AGCCCGAGGGACACCAGCAGCAATGACATCAATGGGGGTGTGGAGCCACCCCCAGCACTGTGTCGACCC
 CCTCACCTCCGCGGACCTTTAGGGCTGCGGGCAGCCCTCCCCCTGCTGCACCCCGGCTCCCGTAGG
 CGGGAACCTCCTGGTGGATGTCTTCTGACGGCCCCACTGCACAGCCAGCCTGGGGCCCACTCCTGAG
 GAGGCTTCTCAGCCAGGTCTGAGGACATAGGCCCTCCATTCCAGAAGCAGATGAAGTGTGAATA
 AGTTCGTGTGAAGAATAGTGGGTCTTGTGTTGAGAACCAGCTGCTGCAGATTGGAGTCAAGTCTGAGTT
 CCGGCAGAACCTGGCCCGCATGTATCTTCTATGGCAACAAGACTTCTGTGCAGTTCAGAACTTCTTG
 CCCACCGTGGTCCATCCTGGGGACCTCCAGACTCAGCTGGCGGTGCAGACCAAGCGTGTGGCGGCACAAG
 TGGACGGTGGCGCACAGGTGCAGCAAGTACTCAACATTGAGTGTCTGCGAGACTTCTGACGCCGCACT
 GTTGTGCGTGCCTTCCGGTACGGTGGCACCAGCCAGTCCCTCACTCTGAAGCTCCAGTACCATCAAC
 AAATTCTCCAGCCACAGAGATGGCGGCCAAGACTTTTTCCAGCGCTGGAAGCAGCTGAGCCTCCCCC
 TGCAGGAGGCACAGAAAATCTTCAAAGCCAACCCCGATGGATGCTGAAGTACTAAGGCCAAGCTTCT
 GGGTTTTGGCTCTGCTCTTCTGGACAATGTGGATCCCAACCCTGAGAAGTTGTGGGTGCTGGAATCATC
 CAGACGAAGGCCCTGCAGGTGGGTGTCTGCTTCCGGTGGAGCCCAATGCCAGGCCCAATGTACCGTC
 TAACCTGCGCACAGCAAGAGCCTGTCTCCCGTCACTGTGTGAGCTGCTGGCCAGCAGTTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG227123 representing NM_001077264
 Red=Cloning site Green=Tags(s)


MPAVSKGDGMRGLAVFISDIRNCKSKEAEIKRINKELANIRSKFKGDKALDGYSKKKYVCKLLFIFLLGH
 DIDFGHMEAVNLLSSNKYTEKQIGYLFISVLVNSNSELIRLINNAIKNDLASRNPTFMCLALHCIANVGS
 REMGEAFAADIPRILVAGDSMDSVKQSAALCLLRLRYKASPDLVPMGEWTARVVHLLNDQHMVVTAAVSL
 ITCLCKKNPDDFKTCISLAVSRLSRIVSSASTDLQDYTYFVFPAPWLSVKLLRLLQCYPPEDAAVKGR
 VECLLETVLNKAQEPKSKVQHSNAKNAILFETISLIHYDSEPNLLVRACNQLGQFLQHRETNLRYLAL
 ESMCTLASSEFSHEAVKTHIDTVINALKTERDVSVRQRAADLLYAMCDRSNAKQIVSEMLRYLETADYAI
 REEIVLKVAILAEKYAVDYSWYVDITLNLIRIAGDYVSEEVWYRVLQIVTNRDDVQGYAAKTVFALQAP
 ACHENMVKVGGYILGEFGNLIAGDPRSSPPVQFSLHHSKFHLCVATRALLLSTYIKFINLFPETKATIQ
 GVLRAGSQLRNADVELQQRAVEYLTSSVASTDVLATVLEEMPPFPERESSILAKLKRKKGGAASALDD
 SRRDTSNDINGVEPTPSTVSTSPSADLLGLRAAPPAAPPAPVGGNLLVDVSDGPTAQPSLGPTPE
 EAF LSPGPEDIGPPIPEADELLNKFVCKNSGVL FENQLLQIGVKSEFRQNLGRMYLFYGNKTSVQFQNFL
 PTVVHPGDLQTLAVQTKRVAQVDGGAQVQVLNIECLRDFLTPPLL SVRFYGGTAQSLTLKLPVTIN
 KFFQPTEMAAQDFRQWKQLSLPLQEAQKIFKANHPMDAEVTKAKLLGFGSALLDNVDPNPNFVGGAGII
 QTKALQVGCLLRLEPNAQAMRYLTLRTSKEPVSRLCELLAQF

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_001077264

ORF Size: 2865 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001077264.1 , NP_001070732.1
RefSeq Size:	3391 bp
RefSeq ORF:	2868 bp
Locus ID:	11771
UniProt ID:	P17426
Cytogenetics:	7 B3

Gene Summary:

Component of the adaptor protein complex 2 (AP-2). Adaptor protein complexes function in protein transport via transport vesicles in different membrane traffic pathways. Adaptor protein complexes are vesicle coat components and appear to be involved in cargo selection and vesicle formation. AP-2 is involved in clathrin-dependent endocytosis in which cargo proteins are incorporated into vesicles surrounded by clathrin (clathrin-coated vesicles, CCVs) which are destined for fusion with the early endosome. The clathrin lattice serves as a mechanical scaffold but is itself unable to bind directly to membrane components. Clathrin-associated adaptor protein (AP) complexes which can bind directly to both the clathrin lattice and to the lipid and protein components of membranes are considered to be the major clathrin adaptors contributing the CCV formation. AP-2 also serves as a cargo receptor to selectively sort the membrane proteins involved in receptor-mediated endocytosis. AP-2 seems to play a role in the recycling of synaptic vesicle membranes from the presynaptic surface. AP-2 recognizes Y-X-X-[FILMV] (Y-X-X-Phi) and [ED]-X-X-X-L-[LI] endocytosis signal motifs within the cytosolic tails of transmembrane cargo molecules. AP-2 may also play a role in maintaining normal post-endocytic trafficking through the ARF6-regulated, non-clathrin pathway. The AP-2 alpha subunit binds polyphosphoinositide-containing lipids, positioning AP-2 on the membrane. The AP-2 alpha subunit acts via its C-terminal appendage domain as a scaffolding platform for endocytic accessory proteins. The AP-2 alpha and AP-2 sigma subunits are thought to contribute to the recognition of the [ED]-X-X-X-L-[LI] motif (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MG227123