

Product datasheet for MG227338

Ddit4 (NM 029083) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ddit4 (NM_029083) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Ddit4

Synonyms: 5830413E08Rik; AA415483; dig2; REDD1; Rtp801

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG227338 representing NM_029083

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCTAGCCTCTGGGATCGTTTCTCGTCCTCCTCTTCCTCTTCGTCCTCGTCTCGAACTCCGGCCGCTG
ATCGGCCGCCGCCGCCTCGGCGGTTCGCAGCCAGAGAAGAGAGGGCCTTGACCGCTGCGAGCCTGGA
GAGCTCGGACTGCGAGTCCCTGGACAGCAGCAACAGTGGCTTCGGGCCGGAGGAAGACTCCTCATACCTG
GATGGGGTGTCCCTGCCCGACTTTGAGCTGCTCAGTGACCCCGAGGATGAGCACCTGTGTGCCAACCTGA
TGCAGCTGCTGCAGGAGAGCCTGTCCCAGGCGCGATTGGGCTCGCGCGCCCTGCGCGTTTGCTCATGCC
GAGCCAGCTGGTGAGCCAGGTGGGCAAGGAACTCCTGCGCCTGGCATACAGTGAGCCGTGCGCCTCGGC
GGGGCACTGCTGGACCTTTCAGTTGACCCTGGTGCTCCGCTCTGGACTCTCGCCTCTGGCCCAAGATCCA
GGGGCTGTTAAGTTCTGCCAACTCTTCCTTGGTCCCTGGTTACAGCCAGTCCCTGACCCTAAGTACCGGC

TTCAGAGTCATCAAGAAGAAACTCTACAGCTCCGAGCAGCTGCTCATTGAAGAGTGT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence:

>MG227338 representing NM_029083 Red=Cloning site Green=Tags(s)


MPSLWDRFSSSSSSSSSRTPAADRPPRSAWGSAAREEGLDRCASLESSDCESLDSSNSGFGPEEDSSYL DGVSLPDFELLSDPEDEHLCANLMQLLQESLSQARLGSRRPARLLMPSQLVSQVGKELLRLAYSEPCGLR GALLDVCVEQGKSCHSVAQLALDPSLVPTFQLTLVLRLDSRLWPKIQGLLSSANSSLVPGYSQSLTLSTG FRVIKKKLYSSEQLLIEEC


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





ACCN: NM_029083

ORF Size: 687 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20 $^{\circ}\text{C}.$ The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 029083.2</u>, <u>NP 083359.1</u>


RefSeq Size: 1685 bp
RefSeq ORF: 690 bp
Locus ID: 74747
UniProt ID: Q9D3F7
Cytogenetics: 10 B4

Gene Summary: Regulates cell growth, proliferation and survival via inhibition of the activity of the

mammalian target of rapamycin complex 1 (mTORC1). Inhibition of mTORC1 is mediated by a pathway that involves DDIT4/REDD1, AKT1, the TSC1-TSC2 complex and the GTPase RHEB. Plays an important role in responses to cellular energy levels and cellular stress, including responses to hypoxia and DNA damage. Regulates p53/TP53-mediated apoptosis in response to DNA damage via its effect on mTORC1 activity. Its role in the response to hypoxia depends on the cell type; it mediates mTORC1 inhibition in fibroblasts and thymocytes, but not in hepatocytes. Inhibits neuronal differentiation and neurite outgrowth mediated by NGF via its effect on mTORC1 activity. Required for normal neuron migration during embryonic brain development. Plays a role in neuronal cell death. Required for mTORC1-mediated defense against viral protein synthesis and virus replication.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MG227338