

Product datasheet for **MG227374**

Rapgef3 (NM_001177810) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Rapgef3 (NM_001177810) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Rapgef3
Synonyms:	2310016P22Rik; 9330170P05Rik; Epac; Epac1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG227374 representing NM_001177810
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAAGGTCAGCTGGCCAGGTGAGAACCACTGGCAGGTGGGCCAGCTGTGGTGGAGAGTCCAGCTGTGG
 GGGCACCGCAGGTGGGAGGTCTCCCGGACGTGGTTCCGGAGGGCAGCTGCTCAATATGGTGTGAAGAG
 AATGCACCGTCCCCGCTGCTGCTTACCAGCTAGTGTCGAGCACCGGCCAGCTGCATCCAGGGA
 CTCGCTGGACACCCTTACCAACAGCGAGGACTCCCTGGATTTACAGAGTGAAGTCTGGAGCAGGCCACCA
 CAGAGCATGTGCACAAGGCAGGGAAGCTCTGCACCGCCATCTTTGGCCACGTACCCTACCCTCATCCG
 AGACAGAAAATACCATCTGCGACTATATCGGCATTGCTGCTCTGGCCGGGAGCTAGTGGATGGGATCTTG
 GCTCTGGGGCTTGGGGTCCACTCACGGAGCCAAGCCGTGGGCATCTGCCAAGTGTGCTGGATGAGGGTG
 CCCTTTGTATGAAAACATGACTGGACCTTCCAGGACCGAGATGCCAATTCTACAGTTCCCTGGACC
 GGAGCCCGAGCCTACAGGAACCTCAAGATGTGGAAGAGGAGCTTGTGAGGCTATGGCCCTCTGTCCAG
 CGAGGGCCTGATGCCCTACTCACCGTGGCGCTCCGGAAGCCCCAGGTACAGCTACGGATGAAGAACTGG
 ACCTGATCTTTGAAGAGCTGCTGCATATCAAGCGGTGGCACACCTTTCTAACTCGGTGAAGCGGGAAC
 AGCTGCTGTTCTGCTCTTTGAACCACACAGCAAGGCAGGAACTGTGTTGTTACGCCAGGGGGACAAGGGT
 ACCTCGTGGTACATTATCTGGAAGGGATCTGTCAATGTGGTGACCCATGGCAAGGGGCTGGTGACCACGT
 TGCACGAGGGAGATGACTTTGGACAGCTGGCTCTGGTGAACGACGCACCTCGGGCAGCCACCATCATCT
 TCGAGAAAATAACTGTCACTTTCTGCGTGTGGACAAGCAGGACTTCAACCGCATCATCAAGGATGTGGAA
 GCAAAAACCATGAGACTGGAAGAACACGGCAAAGTGGTCTTAGTTCTGGAGAGAACCTCTCAGGGTGCTG
 GCCCTTCCCGTCCCGACCCAGCCAGGAACCGGTATACGGTCATGTCTGGCACCCAGAGAAAATCTG
 AGAACTGCTGTTGGAGGCTATGAGACCGGATTCCAGTGCTCATGACCCAACAGAGACGTTCTCAGTGAC
 TTCTGCTGACCCACAGTGTCTTATGCCAGCACCCAGCTCTTCACTGCCCTCTGCACCACTTCCACG
 TGGAGCCAGCAGACCCTGCTGGAGGCAGCAGCAGGAGCACAGCACCTACATCTGCAACAAGAGGCAGCA
 GATCTGCGGCTAGTTGGCCGATGGGTGGCCCTGTATAGCCCGATGCTCCACTCGGATCCCGTGGCCACC
 AGCTTCTCCAGAACTCTCAGACCTGGTGAAGCAGAGATGCCCGACTTAGCAACTGCTGAGGGAACAGT
 ATCCAGAGAGACGGCAGCACACAGGTTGGAATAATGGCTGTGGAAACGTATCTCCTCAGACCAAGGCCCG
 GAATGCACCTGTTGGCTCCCTAACCAGGAGGAACCCCTCCCAAGCAGCGCGGTGCCATCCGAGTTGGG
 GACAAAGTCCCTACGACATCTGCAGACCTGACCACTCAGTGCTGACCCTGCACCTGCCGTGACGGCT
 CGGTGAGAGAAGTATGTCAGCTTTGGCCATGAGGACCACTGGACCAAGGGACAGGTGTTGGTGAAGGT
 CAATTCTGCCGGTATGTCGTTGGCTTGCAGCCAGATGCCCGTGGTGTGGCCACATCCCTGGGGCTCAAC
 GAGCGGCTCTTTGTTGTCGACCCACAGGAAGTGCATGAGCTGACCCACACCCCTGAGCAGCTGGGCCCA
 CTCTGGGTTCTTCTGAGATGCTGGACCTAGTGAGCGCCAAGGACCTGGCAGGCCAGCTGACCGACCATGA
 CTGGAACCTCTTCAACAGGATCCACCAGGTGGAGCTGATCCATTATGACTGGGCCCCAGCACCTGCGG
 GATGTCACCACCGCAACCTGGAGCGCTTATGCGCCGCTTCAACGAGCTGCAGTACTGGGTGGCCACAG
 AGCTCTGTCTCTGCCCTGTTCTGGCTCCCGGGCTCAGTACTCAGGAAGTTCATCAAGCTGGCAGCCCA
 CCTCAAGGAGCAGAAGAACCTCAACTCTTTCTTTGGGTCATGTTTGGCCTCAGCAACTCGGCCATCAGC
 CGGCTGGCCACACCTGGGAGCGCTGCCCATAAAGTACGGAAGCTGTACTCAGCCCTGGAAGGTTGC
 TGGACCCTTCTGGAACACCGAGTGTACCGATTGGCTCTCACCAGCTCTCCCTCCTGTCATCCCTT
 CATGCCCTGCTGCTCAAAGACGTGACCTTATCCATGAGGGGAACACACACTGGTAGAGAACCTCATC
 AACTTTGAGAAGATGCGGATGATGGCCAGAGCGGTGCGGATGCTTACCCTGCCAAGTACAGTACCG
 CGCCTCTATCACCCTCAGAAGCCGAGTGTCCACATCCACGAGGACAGCCAGGGATCAAGGATCTCCAC
 GTGTTCTGAGCAGTCCCTGAGCACCCGGAGTCCAGCCAGCACCTGGGCTTATGTCCAGCAGCTGAAGGT
 ATTGACAACAGCGGGAACCTGTCCCGCTCTCCCGGAGCTGGAACCA

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >MG227374 representing NM_001177810
 Red=Cloning site Green=Tags(s)

MKVSWPGENHWQVGPVAVVESPAVGAPQVGGLPDVVPEGTLLNMVLKRMHRPRCCSYQLVFEHRRPSCIQG
 LRWTPLTNSEDSLDFRVSLEQATTEHVHKAGKLLHRHLLATYPTLIRDRKYHLRLYRHCCSGRELVDGIL
 ALGLGVHSRSQAVGICQVLLDEGALCHVKHDWTFQDRDAQFYRFPGPEPEPTGTQDVEEELVEAMALLSQ
 RGPDALLTVALRKPPGQRTDEELDIFEELLHIKAVAHLSNSVKRELAAVLLFEPHASKAGTVLFSQGDKG
 TSWYIIWKGSVNVVTHGKGLVTTLHEGDDFGQLALVNDAPRAATIILRENNCHFLRVDKQDFNRIKDVE
 AKTMRLEEHGKVVLVLEERTSQGAGSRPPTPGRNRYTVMSGTPEKILELLEAMRPDSSAHDPTETFLSD
 FLLTHSVFMPSTQLFTALLHHFHVPEADPAGGSEQEHSTYICNKRQQILRLVGRWVALYSPMLHSDPVAT
 SFLQKLSDLVSRDARLSNLLREQYPERRRHRLNENGCNVSPQTKARNAPVWLPNQEEPLPSSAGAIRVG
 DKVPYDICRPDHSVLTLLPVTASVREVMALAHEHDHWTKQVLVKVNAGDVGVLQPDARGVATSLGLN
 ERLFVVDPQEVHELTPHPEQLGPTLGSSEMLDLVSAKDLAQQLTDHDWNLFNRIHQVELIHYVLPQHLR
 DVTTANLERFMRRFNELQYVATELCLCPVPGSRAQLLRKFIKLAHLKEQKNLSFFAVMFGLSNSAIS
 RLAHTWERLPHKVRKLYSALERLLDPSWNHRVYRLALTKLSPPVIFMPLLLKDVTFIHEGNHTLVENLI
 NFEKMRMMARAVRMLHHCRRSHSTAPLSPLRSRVSHIHEDSQGSRISTCSEQLSTRSPASTWAYVQQLKV
 IDNQRELSRLSRELEP

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: NM_001177810

ORF Size:	2778 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001177810.1 , NP_001171281.1
RefSeq Size:	3825 bp
RefSeq ORF:	2781 bp
Locus ID:	223864
UniProt ID:	Q8VCC8
Cytogenetics:	15 F1
Gene Summary:	Guanine nucleotide exchange factor (GEF) for RAP1A and RAP2A small GTPases that is activated by binding cAMP. Through simultaneous binding of PDE3B to RAPGEF3 and PIK3R6 is assembled in a signaling complex in which it activates the PI3K gamma complex and which is involved in angiogenesis. Plays a role in the modulation of the cAMP-induced dynamic control of endothelial barrier function through a pathway that is independent on Rho-mediated signaling. Required for the actin rearrangement at cell-cell junctions, such as stress fibers and junctional actin (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG227374