

# **Product datasheet for MG227450**

# Fyn (NM\_001122892) Mouse Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Fyn (NM\_001122892) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Fyn

**Synonyms:** Al448320; AW552119

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn





ORF Nucleotide Sequence:

>MG227450 representing NM\_001122892
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGGCTGTGTGCAATGTAAGGATAAAGAAGCAGCGAAACTGACAGAGGAGAGGGACGGCAGCCTGAACC AGAGCTCTGGGTACCGCTATGGCACAGACCCCACCCCTCAGCACTACCCCAGCTTCGGCGTGACCTCCAT CCCGAACTACAACAACTTCCACGCAGCTGGGGGCCAGGGACTCACCGTCTTTGGGGGTGTGAACTCCTCC TCTCACACTGGGACCCTACGCACGAGAGGAGGGGCACAGGAGTGACACTGTTTGTGGCGCTTTATGACTATG AAGCACGGACGGAAGATGACCTGAGTTTTCACAAAGGAGAAAAATTTCAAATATTGAACAGCTCGGAAGG AGACTGGTGGGAAGCCCGCTCCTTGACAACCGGGGAAACTGGTTACATTCCCAGCAATTACGTGGCTCCA GTTGACTCCATCCAGGCAGAAGAGTGGTACTTTGGAAAACTTGGCCGCAAAGATGCTGAGAGACAGCTCC TGTCCTTTGGAAACCCAAGAGGTACCTTTCTTATCCGCGAGAGCGAAACCACCAAAGGTGCCTACTCACT TTCCATCCGTGATTGGGATGATATGAAAGGGGACCACGTCAAACATTATAAAATCCGCAAGCTTGACAAT GGTGGATACTATATCACAACGCGGGCCCAGTTTGAAACACTTCAGCAACTGGTACAGCATTACTCAGAGA AAGCTGATGGTTTGTGTTTTAACTTAACTGTGGTTTCATCAAGTTGTACCCCACAAACTTCTGGATTGGC TAAAGATGCTTGGGAAGTTGCACGTGACTCGTTGTTTCTGGAGAAGAAGCTGGGGCAGGGGTGTTTCGCT GAAGTGTGGCTTGGTACCTGGAATGGAAATACAAAAGTAGCCATAAAGACCCTTAAGCCAGGCACCATGT CTCCGGAGTCCTTCCTGGAGGAGGCGCAGATCATGAAGAAGCTGAAGCATGACAAGCTGGTGCAGCTCTA CGCGGTCGTGTCTGAGGAGCCCATTTACATCGTCACGGAGTACATGAGCAAAGGAAGTTTGCTTGACTTC TTAAAAGATGGTGAAGGAAGAGCTCTGAAGTTGCCAAACCTTGTGGACATGGCGGCACAGGTTGCTGCAG GAATGGCTTACATCGAGCGCATGAATTATATCCACAGAGATCTGCGATCAGCAAACATTCTAGTGGGGAA CAAGGTGCGAAGTTTCCCATTAAGTGGACAGCCCCCGAAGCGGCCCTGTATGGAAGGTTCACAATCAAGT CTGACGTATGGTCTTTTGGAATCTTACTCACAGAGCTGGTCACCAAAGGAAGAGTGCCATACCCAGGCAT GAACAACCGGGAGGTGCTGGAGCAGGTGGAGAGAGGCTATAGGATGCCCTGCCCACAGGACTGCCCGATC TCCCTGCACGAGCTCATGATCCACTGCTGGAAAAAGGATCCGGAAGAGCGCCCGACCTTCGAGTACTTGC AGGGCTTCCTGGAGGACTACTTTACGGCCACAGAGCCCCAGTATCAGCCCGGTGAAAACCTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG227450 representing NM\_001122892

Red=Cloning site Green=Tags(s)


MGCVQCKDKEAAKLTEERDGSLNQSSGYRYGTDPTPQHYPSFGVTSIPNYNNFHAAGGQGLTVFGGVNSS SHTGTLRTRGGTGVTLFVALYDYEARTEDDLSFHKGEKFQILNSSEGDWWEARSLTTGETGYIPSNYVAP VDSIQAEEWYFGKLGRKDAERQLLSFGNPRGTFLIRESETTKGAYSLSIRDWDDMKGDHVKHYKIRKLDN GGYYITTRAQFETLQQLVQHYSEKADGLCFNLTVVSSSCTPQTSGLAKDAWEVARDSLFLEKKLGQGCFA EVWLGTWNGNTKVAIKTLKPGTMSPESFLEEAQIMKKLKHDKLVQLYAVVSEEPIYIVTEYMSKGSLLDF LKDGEGRALKLPNLVDMAAQVAAGMAYIERMNYIHRDLRSANILVGNGLICKIADFGLARLIEDNEYTAR QGAKFPIKWTAPEAALYGRFTIKSDVWSFGILLTELVTKGRVPYPGMNNREVLEQVERGYRMPCPQDCPI SLHELMIHCWKKDPEERPTFEYLQGFLEDYFTATEPQYQPGENL


TRTRPLE - GFP Tag - V

**Restriction Sites:** Sgfl-Mlul




# **Cloning Scheme:**





## Plasmid Map:



ORIGENE

**ACCN:** NM\_001122892

ORF Size: 1602 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001122892.1</u>, <u>NP 001116364.1</u>

 RefSeq Size:
 3465 bp

 RefSeq ORF:
 1605 bp

 Locus ID:
 14360

 UniProt ID:
 P39688

Cytogenetics: 10 20.51 cM



#### **Gene Summary:**

Non-receptor tyrosine-protein kinase that plays a role in many biological processes including regulation of cell growth and survival, cell adhesion, integrin-mediated signaling, cytoskeletal remodeling, cell motility, immune response and axon guidance. Inactive FYN is phosphorylated on its C-terminal tail within the catalytic domain. Following activation by PKA, the protein subsequently associates with PTK2/FAK1, allowing PTK2/FAK1 phosphorylation, activation and targeting to focal adhesions. Involved in the regulation of cell adhesion and motility through phosphorylation of CTNNB1 (beta-catenin) and CTNND1 (delta-catenin). Regulates cytoskeletal remodeling by phosphorylating several proteins including the actin regulator WAS and the microtubule-associated proteins MAP2 and MAPT. Promotes cell survival by phosphorylating AGAP2/PIKE-A and preventing its apoptotic cleavage. Participates in signal transduction pathways that regulate the integrity of the glomerular slit diaphragm (an essential part of the glomerular filter of the kidney) by phosphorylating several slit diaphragm components including NPHS1, KIRREL1 and TRPC6. Plays a role in neural processes by phosphorylating DPYSL2, a multifunctional adapter protein within the central nervous system, ARHGAP32, a regulator for Rho family GTPases implicated in various neural functions, and SNCA, a small pre-synaptic protein. Participates in the downstream signaling pathways that lead to T-cell differentiation and proliferation following T-cell receptor (TCR) stimulation. Phosphorylates PTK2B/PYK2 in response to T-cell receptor activation. Also participates in negative feedback regulation of TCR signaling through phosphorylation of PAG1, thereby promoting interaction between PAG1 and CSK and recruitment of CSK to lipid rafts. CSK maintains LCK and FYN in an inactive form. Promotes CD28-induced phosphorylation of VAV1.[UniProtKB/Swiss-Prot Function]