

Product datasheet for **MG227679**

Cbl (NM_007619) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cbl (NM_007619) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Cbl
Synonyms:	4732447J05Rik; c-Cbl; Cbl-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG227679 representing NM_007619
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCCGGCAACGTGAAGAAGAGCTCGGGCGCCGGCGGGCGGGCTCTGGGGCTCGGGAGCGGGCGGCC
 TGATCGGGCTCATGAAGGACGCCTTCCAGCCGCACCACCACCACCACCCTCAGCCCGCACCTCCCTG
 CACGGTGGACAAGAAGATGGTGGAGAAGTCTGGAAGCTCATGGACAAGTGGTGCGGTTGTGTCAAAAC
 CCAAAGCTGGCGCTCAAGAACAGCCCGCTTATATCTTAGACCTGCTGCCTGACACCTACCAGCACCTCC
 GCACTGTCTTGTCAAGATATGAGGGGAAGATGGAGACGCTTGGAGAAAATGAGTATTTACAGGTGTTTAT
 GGAAAATTTGATGAAGAAAATAAGCAGACTATCAGCCTCTTCAAGGAGGGAAAAGAAAGGATGTATGAG
 GAGAATCCCAGCCTAGGCGAAACCTGACCAAATTATCCCTGATCTTCAGCCACATGCTGGCAGAAGTGA
 AAGGCATCTTCCGAGCGGACTCTTCAAGGAGACACTTCCGGATTACTAAAGCTGATGCTGCCGAATT
 TTGGAGAAAAGCTTTTGGTGAAGAACGATAGTCCCGTGAAGAGCTTTCGACAGGCCCTGCATGAAGTG
 CATCCCATCAGTTCTGGGCTGGAGGCCATGGCTCTGAAGTCCACTATTGATCTGACCTGCAATGATTATA
 TTTCTGTCTTTGAATTTGATATTTTACACGGCTGTTTACGCCCTGGTCCTCTTTGCTCAGAAAATTGGAA
 CAGCCTTGCTGTAACCTACCCTGGTTACATGGCTTTCCTGACATACGATGAAGTGAAGCGCGCCTGCAG
 AAGTTCATCCACAACCTGGCAGTTACATCTTTCGGCTGAGCTGTACTCGTTTGGGTGAGTGGGCTATTG
 GGTATGTTACTGCCGATGGGAACATTCTGCAGACAATCCACACAATAAACCGCTCTTCCAAGCACTGAT
 TGATGGCTTCAGGAAGGCTTCTATTTGTTTCTGATGGACGAAATCAAATCCTGACCTGACAGGTTTA
 TGTGAACCAACTCCTCAAGATCATATCAAAGTAAACCCAGGAACAATATGAATTACTGTGAAATGGGCT
 CCACATTTCAACTGTGAAGATATGTGCTGAGAATGATAAGGATGTGAAGATTGAGCCCTGTGGACACT
 CATGTGCACATCCTGCCTCACGTCGTGGCAGGAATCAGAAGGTCAGGGCTGTCCTTTTTGCCGATGTGAA
 ATCAAAGTACTGAGCCATCGTGGTGGATCCGTTTGACCCAGAGGCAGTGGCAGCCTATTAAGGCAAG
 GAGCAGAAGGTGCTCCTTCCCCAAATTACGACGATGATGATGATGAACGAGCTGATGATTCTCTTTCAT
 GATGAAGGAGTTGGCAGGTGCCAAGGTGGAAGGCCTTCTCTCCATTCTCCATGGCCCCACAAGCTTCC
 CTTCTCCAGTGCCACCAAGACTTGACCTTCTACAGCAGCGAGCACCTGTTCTGCCAGCACTTCAGTTC
 TGGGGACTGCTTCAAGGCTGCTTCTGGCTCCCTTATAAAGACAACCATTGCCAATACCTCCCACACT
 TCGAGATCTTCCACCACCACCCCTCCAGACCGGCCTTACTCTGTTGGAGCAGAAAACAAGGCCTCAGAGA
 CGCCCTCTGCCTTGTACACCAGGCGATTGTCCATCTAGAGACAACTGCCCCCTGTCCCTCTAGCCGCC
 CAGGGGACTCGTGGTTGTCTCGGCAATCCCTAAAGTACCAAGTACTCCTCAAACCCCTGGTGTACCTTG
 GAATGGGAGAGAATTGACCAATCGGCACTCGCTTCCATTTCTATTGCCCTCACAATGGAACCCAGAGCA
 GATGTCCCTAGGCTTGGAAAGCACATTTAGTCTGGATACCTCTATGACTATGAATAGCAGCCAGTAGCAG
 GTCCAGAGAGTGAGCACCCAAAGATCAAGCCTTCTCTGCTGCCAACGCCATTTACTCTCTGGCTGCCAG
 GCCTCTTCTATGCCAAAAGTCCACCTGGGGAGCAAGGGGAAAGTGAAGAGGACACAGAATATATGACT
 CCCACATCTAGGCCTGTAGGGGTTGAGAAGCCAGAGCCCAACCGCCGTTAGAGGCAACCCAGAGTTTAC
 GAGCATGTGACTGTGACCAGCAGATCGACAGCTGTACCTATGAAGCGATGTATAACATCCAGTCCCAAGC
 ACTGTCTGTAGCAGAAAACAGCGCCTCTGGGGAAGGGAATCTGGCCACAGCTCACACGATGACTGGCCCT
 GAGGAATCCGAAAACGAGGATGATGGCTATGATGTGCCTAAGCCACCCGTCAGCTGTACTGGCCCGCC
 GGACCCTGTCTGACATCTCCAATGCCAGCTCCTCCTTTGGCTGGTTGTCTTTGGATGGTGACCTACAAA
 CTTCAATGAGGGTTCCCAAGTCTCTGAGCGGCCCCCAACCAATTCCCTCGGAGAATCAACTCAGAACGA
 AAAGCCAGTAGCTATCAACAAGGCGGAGGTGCCACTGCTAACCTGTGGCCACAGCACCCCTCACCGCAGC
 TCTCAAGTGAATTGAACGCCTCATGAGTCAGGGCTATTCTACCAGGACATTAGAAAAGCTTTGGTTCAT
 TGCCCAACAACATTGAGATGGCTAAAAACATCCTCCGGGAATTTGTTTCTATTCTCTCTCTGCTCAC
 GTAGCCACC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG227679 representing NM_007619
 Red=Cloning site Green=Tags(s)

MAGNVKKSSGAGGGGSGGSGAGGLIGLMKDAFQPHHHHHHLSHPHPCTVDKMMVEKCWKLMDKVVRLCQN
 PKLALKNSPPYILDLLPDTYQHLRTVL SRYEGKMETLGENEYFRVFMENLMKKTQTISLFKEGKERM
 ENSQPRRLTKLSLIFSHMLAELKGI FPSGLFQGDTRITKADAAEFWRKAFGEKTI VPKW SFRQALHEV
 HPIS SGL EAMALKSTIDLTCNDYISVFEFDIFTRLFQPWSSLLRNWNSLAVTHPGYMAFLTYDEVKARLQ
 KFIHKPGSYIFRLSCTRLGQWAI GYVTADGNILQTI PHNKPLFQALIDGFREGFYLPDGRNQNPDLTGL
 CEPTPQDHIKVTQE QYELYCEMGSTFQLCKICAENDKDVKIEPCGHLMCT SCLTSWQESEGGCPFCRCE
 IKGTEPIVVPDFPRGSGSLLRQGAEGAPSPNYDDDDERADDSLFMMKELAGAKVERPSSPFSMAPQAS
 LPPVPPRLDLLQQRAPVPASTSVLGTASKAASGSLHKDKPLPIPPTLRDLPPPPPPDRPYSVGAETRPQR
 RPLPCTPGDCPSRDKLPVPSSRPGDSWLSRPIPKVPVATPNPGDPWNGREL TNRHSLPFSLPSQMEPRA
 DVPRLGSTFSLDTSMTMNSSPVAGPESEHPKIKPSSANAIYSLAARPLPMPKLPPEQGESEEDTEYMT
 PTSRPVGVQKPEPKRPLEATQSSRACDCDQQIDSCTYEAMYNIQSQAL SVAENSASGEGNLATAHTSTGP
 EESENEDDGYDVPKPPVAVLARRTLSDISNASSFGWLSLDGDPNTFNEGSQVPERPPKPFPRRINSER
 KASSYQQGGGATANPVATAPSPQLSSEIERLMSQGYSDIQKALVIAHNNIEMAKNILREFVSISSPAH
 VAT

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: NM_007619

ORF Size:	2739 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_007619.2 , NP_031645.2
RefSeq Size:	5083 bp
RefSeq ORF:	2742 bp
Locus ID:	12402
UniProt ID:	P22682
Cytogenetics:	9 24.72 cM
Gene Summary:	Adapter protein that functions as a negative regulator of many signaling pathways that are triggered by activation of cell surface receptors. Acts as an E3 ubiquitin-protein ligase, which accepts ubiquitin from specific E2 ubiquitin-conjugating enzymes, and then transfers it to substrates promoting their degradation by the proteasome. Recognizes activated receptor tyrosine kinases, including KIT, FLT1, FGFR1, FGFR2, PDGFRA, PDGFRB, EGFR, CSF1R, EPHA8 and KDR and terminates signaling. Recognizes membrane-bound HCK, SRC and other kinases of the SRC family and mediates their ubiquitination and degradation. Participates in signal transduction in hematopoietic cells. Plays an important role in the regulation of osteoblast differentiation and apoptosis. Essential for osteoclastic bone resorption. The 'Tyr-737' phosphorylated form induces the activation and recruitment of phosphatidylinositol 3-kinase to the cell membrane in a signaling pathway that is critical for osteoclast function. May be functionally coupled with the E2 ubiquitin-protein ligase UB2D3 (PubMed:10393178, PubMed:12649282, PubMed:19265199, PubMed:20100865, PubMed:9653117). In association with CBLB, required for proper feedback inhibition of ciliary platelet-derived growth factor receptor-alpha (PDGFRA) signaling pathway via ubiquitination and internalization of PDGFRA (PubMed:29237719).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG227679