

## **Product datasheet for MO22131-100**

## **UBQLN2 Mouse Monoclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IF, WB

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal


Formulation: State: Aff - Purified

**Gene Name:** ubiquilin 2

Database Link: <u>Entrez Gene 29978 Human</u>

Synonyms: PLIC2, PLIC-2, N4BP4, Chap1, DSK2 homolog, HRIHFB2157

## **Product images:**



HeLa cells staing with Ubiquilin 2 (green), and counterstained with chicken polyclonal Vimentin antibody to (red) and DNA (blue). The antibody reveals strong nuclear lamina staining, while the Vimentin antibody reveals cytoplasmic intermediate filaments. Protocol on datasheet.

OriGene Technologies, Inc.


Rockville, MD 20850, US Phone: +1-888-267-4436

techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


9620 Medical Center Drive, Ste 200








HeLa cells staing with Ubiquilin 2 (green), and counterstained with chicken polyclonal Vimentin antibody to (red) and DNA (blue). The antibody reveals strong nuclear lamina staining, while the Vimentin antibody reveals cytoplasmic intermediate filaments. Protocol on datasheet.




Western blot analysis of untransfected primary mouse neuron and glia cell cultures (lane 1), the same cells transduced with human Ubiquilin 2 wild type (lane 2), with Ubiquilin 2 P506T mutant (lane 3), with Ubiquilin 2 P497S mutant (lane 4) and with enchanced GFP control (lane 5), all probed with this antibody. Protocol on datasheet.




Western blot analysis of untransfected primary mouse neuron and glia cell cultures (lane 1), the same cells transduced with human Ubiquilin 2 wild type (lane 2), with Ubiquilin 2 P506T mutant (lane 3), with Ubiquilin 2 P497S mutant (lane 4) and with enchanced GFP control (lane 5), all probed with this antibody. Protocol on datasheet.





HeLa cells staing with Ubiquilin 2 (green), and counterstained with chicken polyclonal Vimentin antibody to (red) and DNA (blue). The antibody reveals strong nuclear lamina staining, while the Vimentin antibody reveals cytoplasmic intermediate filaments. Protocol on datasheet.



Western blot analysis of untransfected primary mouse neuron and glia cell cultures (lane 1), the same cells transduced with human Ubiquilin 2 wild type (lane 2), with Ubiquilin 2 P506T mutant (lane 3), with Ubiquilin 2 P497S mutant (lane 4) and with enchanced GFP control (lane 5), all probed with this antibody. Protocol on datasheet.