

## **Product datasheet for MR200046**

## Hilpda (NM\_023516) Mouse Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Hilpda (NM\_023516) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Hilpda

**Synonyms:** 2310016C08Rik; AW049004; Hig2

Mammalian Cell Neomycin

Selection:

**ORF Nucleotide** 

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

>MR200046 ORF sequence

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAAGTTCATGCTGAACCTCTATGTGCTGGGCATCATGTTGACCCTGCTTTCCATCTTTGTTAGAGTGATGGAGTCTCTGGGAGGGCTTACTGGAGAGCCCACTGCCCAGGAGCTCCTGGATCACGAGGGGTCAGCTAGC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR200046 protein sequence

Red=Cloning site Green=Tags(s)

 ${\tt MKFMLNLYVLGIMLTLLSIFVRVMESLGGLLESPLPRSSWITRGQLANTQPPKGLPDHPSRGVQ}$ 

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_023516

ORF Size: 195 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 023516.1, NM 023516.2, NM 023516.3, NM 023516.4, NM 023516.5, NP 076005.1

RefSeq Size: 985 bp



 RefSeq ORF:
 195 bp

 Locus ID:
 69573

 UniProt ID:
 Q9|LS0

 Cytogenetics:
 6 A3.3


 MW:
 7.1 kDa

Gene Summary: Increases intracellular lipid accumulation. Stimulates expression of cytokines including IL6,

MIF and VEGFA. Enhances cell growth and proliferation (By similarity).[UniProtKB/Swiss-Prot

Function]

## **Product images:**



Circular map for MR200046