

## Product datasheet for MR200062

### Sptssa (NM\_134054) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Sptssa (NM\_134054) Mouse Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Sptssa  
**Synonyms:** 1110002B05Rik; AA407909; AA409588; AU041967; Ssspta  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >MR200062 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCCCGATCGCC

ATGGCGCTGGCGCGAGCATGGAAGCAGATGTCCTGGTTCTACTACCAGTACCTGCTGGTCACTGCGCTCT  
 ACATGCTGGAGCCCTGGGAGCGAACCGTGTCAATTCGATGCTGGTTCCGTGGTGGGGATGGCCCTGTA  
 CACTGGCTACGTCTTCATGCCCCAGCACATCATGGCTATTCTGCATTACTTTGAAATTGTACAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR200062 protein sequence  
 Red=Cloning site Green=Tags(s)

MALARAWKQMSWFYYQYLLVTALYMLEPWERTVFNSMLVSVVGMALYTGYYVMPQHIMAILHYFEIVQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-Mlul



[View online »](#)

Cloning Scheme:



ACCN: NM\_134054

ORF Size: 207 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


RefSeq: [NM\\_134054.1](#)

RefSeq Size: 1363 bp

RefSeq ORF: 216 bp  
 Locus ID: 104725  
 UniProt ID: [Q8R207](#)  
 Cytogenetics: 12 C1  
 MW: 8.2 kDa

**Gene Summary:** Stimulates the activity of serine palmitoyltransferase (SPT). The composition of the serine palmitoyltransferase (SPT) complex determines the substrate preference. The SPTLC1-SPTLC2-SPTSSA complex shows a strong preference for C16-CoA substrate, while the SPTLC1-SPTLC3-SPTSSA isozyme uses both C14-CoA and C16-CoA as substrates, with a slight preference for C14-CoA. Plays a role in MBOAT7 location to mitochondria-associated membranes (MAMs), may be involved in fatty acid remodeling phosphatidylinositol (PI). [UniProtKB/Swiss-Prot Function]

**Product images:**



Circular map for MR200062