

Product datasheet for MR200111

Gprc5c (BC008228) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Gprc5c (BC008228) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Gprc5c

Synonyms: 1110028I06Rik; 3200002M13Rik; Raig3

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR200111 representing BC008228

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TCCTGCTTAGTGCCAAGG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR200111 representing BC008228

Red=Cloning site Green=Tags(s)

 ${\tt MHRRHPMATQVREGHFQACKLLKPVAEMVSWYQTLDSRSPEHHSLFYIWVPDRASSIPFPPNVLTWPSAQ}$

SCLVPR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: BC008228

ORF Size: 228 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



Gprc5c (BC008228) Mouse Tagged ORF Clone - MR200111

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

 RefSeq:
 BC008228

 RefSeq Size:
 1728 bp

 RefSeq ORF:
 230 bp

 Locus ID:
 70355

 Cytogenetics:
 11 E2

 MW:
 63.4 kDa

Gene Summary: This retinoic acid-inducible G-protein coupled receptor provide evidence for a possible

interaction between retinoid and G-protein signaling pathways. [UniProtKB/Swiss-Prot

Function]