

Product datasheet for MR200458L4

Ndufa7 (NM_023202) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ndufa7 (NM 023202) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Ndufa7

Synonyms: 14.5kD; 14.5kDa; 2400007M02Rik; CI-B14.5a

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR200458).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_023202

ORF Size: 339 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Ndufa7 (NM_023202) Mouse Tagged Lenti ORF Clone - MR200458L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 023202.3</u>

RefSeq Size: 540 bp
RefSeq ORF: 342 bp
Locus ID: 66416
UniProt ID: Q9Z1P6
Cytogenetics: 17 B1


Gene Summary: This gene encodes a subunit of the NADH-ubiquinone oxidoreductase (complex I) enzyme,

which is a large, multimeric protein. It is the first enzyme complex in the mitochondrial electron transport chain and catalyzes the transfer of electrons from NADH to the electron acceptor ubiquinone. The proton gradient created by electron transfer drives the conversion of ADP to ATP. Complex I has been biochemically separated into four fractions. The bovine ortholog of this protein has been reported to be part of the I-lambda fraction, which forms the extrinsic globular domain. In humans, deficiencies in complex I are associated with myopathies, encephalomyopathies, and neurodegenerative disorders. Pseudogenes of this gene are located on chromosomes 7 and 16. Alternative splicing results in multiple transcript

variants. [provided by RefSeq, May 2013]



Product images:



Circular map for MR200458L4