

Product datasheet for **MR200590**

Birc5 (NM_001012273) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Birc5 (NM_001012273) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Birc5
Synonyms:	A; AAC-11; Api4; s; survivin40; T; TIAP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR200590 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**

ATGGGAGCTCCGGCGCTGCCCCAGATCTGGCAGCTGTACCTCAAGAACTACCGCATCGCCACCTTCAAGA
ACTGGCCCTTCTGGAGGACTGCGCCTGCACCCAGAGCGAATGGCGGAGGCTGGCTTCATCCACTGCC
TACCGAGAACGAGCCTGATTTGGCCAGTGTTTTCTGCTTTAAGGAATTGGAAGGCTGGGAACCCGAT
GACAACCCGATAGAGGAGCATAGAAAGCACTCCCTGGCTGCGCCTTCTCACTGTCAAGAAGCAGATGG
AAGAATAACCGTCAGTGAATTCTTGAAGTGGACAGACAGAGAGCAAGAACAATAATTGTATGTATGAT
TGAGAATAAGGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:	>MR200590 protein sequence Red=Cloning site Green=Tags(s)
-------------------	--

MGAPALPQIWQLYKKNYRIATFKNWPFLEDCACTPERMAEAGFIHCPTEPDLAQCFCKELEGWEPD
DNPIEEHRKHSPGCAFLTVKKQMEELTVSEFLKLDQRANKIVCMENKD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:	SgfI-MluI
--------------------	-----------



[View online »](#)

Cloning Scheme:



ACCN: NM_001012273

ORF Size: 363 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM_001012273.1, NP_001012273.1</u>
RefSeq Size:	3416 bp
RefSeq ORF:	366 bp
Locus ID:	11799
UniProt ID:	<u>O70201</u>
Cytogenetics:	11 E2
MW:	14.2 kDa
Gene Summary:	<p>This gene is a member of the inhibitor of apoptosis (IAP) gene family, which encode negative regulatory proteins that prevent apoptotic cell death. IAP family members usually contain multiple baculovirus IAP repeat (BIR) domains, but this gene encodes proteins with only a single BIR domain. The encoded proteins also lack a C-terminus RING finger domain. In humans, gene expression is high during fetal development and in most tumors yet low in adult tissues. Antisense transcripts have been identified in human that regulate this gene's expression. At least three transcript variants encoding distinct isoforms have been found for this gene, although at least one of these transcript variants is a nonsense-mediated decay (NMD) candidate. [provided by RefSeq, Jul 2008]</p>

Product images:



Circular map for MR200590