

Product datasheet for MR200741

H2aw (NM_178218) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: H2aw (NM_178218) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: H2aw
Synonyms: Hist3; Hist3h2a
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >MR200741 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCTGGTCGTGGCAAGCAGGGCGCAAAGCTCGTGCAAAGCGAAGTCTCGTTCTTCCCGTGCCGGCC
 TGCAGTTTCCAGTGGCCGTGTGCACCGCCTTCCGTAAGGGTAATTATTCGGAGCGGGTCGGCGCTGG
 TGCCCCGGTGTACCTGGCGGCTGTGCTAGAATATCTGACTGCTGAGATCCTGGAATTGGCTGGAATGCG
 GCCCGCACAATAAGAAGACGCGAATCATCCCGGCCACCTGCAGTTGGCCATCCGCAACGACGAGGAGC
 TCAACAAGCTGCTGGCCGCGTGACCATCGCGCAGGGCGGCGTCTGCCAACATCCAGGCCGTGCTACT
 GCCAAGAAGACCGAGAGCCACCACAAGGCCAAGGGCAAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR200741 protein sequence
 Red=Cloning site Green=Tags(s)

MSGRGKQGGKARAKAKSRSSRAGLQFPVGRVHRLLRKGNYSERVGAGAPVYLAAVLEYLTAEILELAGNA
 ARDNKTRIIPRHLQLAIRNDEELNKLGRVTIAQGGVLPNIQAVLLPKKTESHKAKGK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_178218

ORF Size: 393 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_178218.4](#)

RefSeq Size: 508 bp


RefSeq ORF: 393 bp

Locus ID: 319162

UniProt ID: [Q8BFU2](#)
 Cytogenetics: 11 B1.3
 MW: 14.1 kDa

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. [provided by RefSeq, Aug 2015]

Product images:



Circular map for MR200741