

## Product datasheet for **MR200804**

### Cisd2 (NM\_025902) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Cisd2 (NM\_025902) Mouse Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Cisd2  
**Synonyms:** 1500009M05Rik; 1500026J14Rik; 1500031D15Rik; AI848398; B630006A20Rik; Miner1; Noxp70  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >MR200804 ORF sequence  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGTCCTGGACAGCGTGGCCCGCATCGTGAAGGTGCAGCTGCCCGCTACCTCAAGCAGCTCCCGGTCC  
CCGACAGCATCACCGGTTGCCCCGCTCACAGTTTCAGACTGGCTCCGCTACTGCCCTCCTCGGGT  
ACTTGCGCTTCTGGGCTACCTCGCAGTGCGCCATTCTCCAAAGAAGAAGCAACAGAAGGATAGCTTG  
ATCAATCTTAAGATACAAAAGGAAAATCCCAAGTGGTGAATGAGATAAACATTGAAGATCTGTGTCTCA  
CCAAAGCAGCTTATTGTAGGTGCTGGCGGTCCAAGACGTTTCCTGCCTGTGATGGATCCCATATAAGCA  
TAATGAATTGACAGGCGATAACGTGGGTCCTCTCATCCTGAAGAAGAAAGTA

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR200804 protein sequence  
Red=Cloning site Green=Tags(s)  
MVLDSVARIVKVQLPAYLKQLPVPDSITGFARLTVSDWLRLPFLGVLALLGYLAVRPFPPKKKQKDSL  
INLKIQENPKVNEINIEDLCLTKAAYCRCWRSKTFPACDGSNKHNELTGDNVGPLILKKKEV


**TR**TRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-MluI



[View online »](#)

Cloning Scheme:



ACCN: NM\_025902

ORF Size: 405 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

**RefSeq:** [NM\\_025902.3](#)

**RefSeq Size:** 2885 bp

**RefSeq ORF:** 408 bp

**Locus ID:** 67006


**UniProt ID:** [Q9CQB5](#)

**Cytogenetics:** 3 G3

**MW:** 15.2 kDa

**Gene Summary:** Regulator of autophagy that contributes to antagonize BECN1-mediated cellular autophagy at the endoplasmic reticulum. Participates in the interaction of BCL2 with BECN1 and is required for BCL2-mediated depression of endoplasmic reticulum Ca(2+) stores during autophagy. Contributes to BIK-initiated autophagy, while it is not involved in BIK-dependent activation of caspases. Involved in life span control, probably via its function as regulator of autophagy (By similarity).[UniProtKB/Swiss-Prot Function]

### Product images:



Circular map for MR200804