

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR200860L3


Lenti ORF clone of MGC:73610 (Myc-DDK-tagged) - Mouse cDNA clone MGC:73610 IMAGE:639130 (Dhh) (BC062810) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Lenti ORF clone of MGC:73610 (Myc-DDK-tagged) - Mouse cDNA clone MGC:73610 IMAGE:639130 (Dhh) (BC062810) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Dhh
Synonyms:	C78960
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR200860).
Restriction Sites:	SgfI-Mlul
Cloning Scheme:	
	Cloning sites used for ORF Shuttling:

 Sgf I
 ORF
 Mlu I

 -- GCG ATC GC
 ATG ---// --- NNN
 ACG CGT
 --




* The last codon before the Stop codon of the ORF.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Plasmid Map:



ACCN:	BC062810
ORF Size:	414 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>BC062810</u>
RefSeq Size:	717 bp
RefSeq ORF:	416 bp
Locus ID:	13363
Cytogenetics:	15 55.05 cM

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Intercellular signal essential for a variety of patterning events during development. May
function as a spermatocyte survival factor in the testes. Essential for testes development.
[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US