

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for MR200873L4V

## Chchd4 (NM\_133928) Mouse Tagged ORF Clone Lentiviral Particle

### **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Chchd4 (NM_133928) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Chchd4
Synonyms:	2410012P20Rik; 2810014D17Rik; Al838740
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_133928
ORF Size:	420 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR200873).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 133928.2</u>
RefSeq Size:	1245 bp
RefSeq ORF:	420 bp
Locus ID:	72170
UniProt ID:	<u>Q8VEA4</u>
Cytogenetics:	6 D1



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# Chchd4 (NM\_133928) Mouse Tagged ORF Clone Lentiviral Particle – MR200873L4V Gene Summary: Functions as chaperone and catalyzes the formation of disulfide bonds in substrate proteins, such as COX17, COX19 and MICU1. Required for the import and folding of small cysteine-containing proteins (small Tim) in the mitochondrial intermembrane space (IMS). Precursor proteins to be imported into the IMS are translocated in their reduced form into the

containing proteins (small Tim) in the mitochondrial intermembrane space (IMS). Precursor proteins to be imported into the IMS are translocated in their reduced form into the mitochondria. The oxidized form of CHCHD4/MIA40 forms a transient intermolecular disulfide bridge with the reduced precursor protein, resulting in oxidation of the precursor protein that now contains an intramolecular disulfide bond and is able to undergo folding in the IMS. Reduced CHCHD4/MIA40 is then reoxidized by GFER/ERV1 via a disulfide relay system. Mediates formation of disulfide bond in MICU1 in the IMS, promoting formation of the MICU1-MICU2 heterodimer that regulates mitochondrial calcium uptake. [UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US