

Product datasheet for MR200889L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Pnrc2 (NM_026383) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Pnrc2 (NM_026383) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Pnrc2

Synonyms: 0610011E17Rik; D4Bwg0593e

Mammalian Cell

Selection:

ACCN:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

NM 026383

Tag: Myc-DDK

ORF Size: 423 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(MR200889).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 026383.1

RefSeq Size:1907 bpRefSeq ORF:423 bpLocus ID:52830

UniProt ID: Q9CR73

Cytogenetics: 4 68.01 cM



Gene Summary:

Involved in nonsense-mediated mRNA decay (NMD) by acting as a bridge between the mRNA decapping complex and the NMD machinery (By similarity). May act by targeting the NMD machinery to the P-body and recruiting the decapping machinery to aberrant mRNAs (By similarity). Required for UPF1/RENT1 localization to the P-body (By similarity). Plays a role in glucocorticoid receptor-mediated mRNA degradation by interacting with the glucocorticoid receptor NR3C1 in a ligand-dependent manner when it is bound to the 5' UTR of target mRNAs and recruiting the RNA helicase UPF1 and the mRNA-decapping enzyme DCP1A, leading to RNA decay (By similarity). Also acts as a nuclear receptor coactivator. May play a role in controlling the energy balance between energy storage and energy expenditure (PubMed:17971453).[UniProtKB/Swiss-Prot Function]