

Product datasheet for MR200895

Pfn1 (NM_011072) Mouse Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	Pfn1 (NM_011072) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Pfn1
Synonyms:	Pfn
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR200895 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGCC</mark>
	ATGGCCGGGTGGAACGCCTACATCGACAGCCTTATGGCGGACGGGACCTGTCAGGACGCGGCCATCGTAG GCTACAAGGACTCGCCCTCCGTCTGGGCCGCCGTCCCCGGGAAGACCTTCGTTAGCATTACGCCAGCTGA GGTTGGTGTCCTGGTAGGCAAAGACCGGTCAAGTTTTTTCGTCAATGGGCTGACACTTGGGGGCCAGAAA TGTTCTGTGATCCGGGACTCACTGCTGCAAGACGGGGAATTTACAATGGATCTTCGTACCAAGAGCACCG GAGGAGCCCCCACCTTCAATGTCACTGTCACCATGACTGCCAAGACGCTAGTCCTGCTGATGGGCAAAGA AGGTGTCCACGGTGGTTTGATCAACAAGAAATGTTATGAAATGGCCTCTCACCTGCGGCGTTCCCAGTAC
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA
Protein Sequence:	>MR200895 protein sequence <mark>Red</mark> =Cloning site Green=Tags(s)
	MAGWNAYIDSLMADGTCQDAAIVGYKDSPSVWAAVPGKTFVSITPAEVGVLVGKDRSSFFVNGLTLGGQK CSVIRDSLLQDGEFTMDLRTKSTGGAPTFNVTVTMTAKTLVLLMGKEGVHGGLINKKCYEMASHLRRSQY
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:



* The last codon before the Stop codon of the ORF


ACCN:	NM_011072
ORF Size:	423 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. <u>©2023 OriGene Techno</u>logies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Pfn1 (NM_011072) Mouse Tagged ORF Clone – MR200895

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 011072.4, NP 035202.1</u>
RefSeq Size:	883 bp
RefSeq ORF:	423 bp
Locus ID:	18643
UniProt ID:	<u>P62962</u>
Cytogenetics:	11 43.21 cM
MW:	15 kDa
Gene Summary:	Binds to actin and affects the structure of the cytoskeleton. At high concentrations, profilin prevents the polymerization of actin, whereas it enhances it at low concentrations. By binding to PIP2, it inhibits the formation of IP3 and DG. Inhibits androgen receptor (AR) and HTT aggregation and binding of G-actin is essential for its inhibition of AR (By similarity). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR200895

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US