

Product datasheet for MR201035

Mtvr2 (BC013894) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Mtvr2 (BC013894) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Mtvr2

Synonyms: 1110021A21Rik; MMTV; Mtvr2

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR201035 representing BC013894

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TCTGCACTCGGACAGCTCCTACCCACC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR201035 representing BC013894

Red=Cloning site Green=Tags(s)

MNGLPATEAPGGAGCALAGLPPLPRGLSGLLNASGGSWRELERVYSQRSRIHDELSRAARAPDGPRHAAG SANSGSAAGPRRPVNLDSALAALRKEMLSVGGAATAGYVPVVPAVGPVRVDPGLQASVPRPELVPGPVIL

SALGQLLPT

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: BC013894 **ORF Size:** 447 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>BC013894.1</u>

RefSeq Size: 1218 bp
RefSeq ORF: 449 bp
Locus ID: 17826

Cytogenetics: 19 4.34 cM MW: 44.7 kDa

Gene Summary: Negatively regulates TGF-beta-induced signaling; in cooperation with SKI prevents the

translocation of SMAD2 from the nucleus to the cytoplasm in response to TGF-beta (PubMed:12646588). Acts as an adapter that mediates the specific recognition of LIMK1 by CDC42BPA and CDC42BPB in the lamellipodia. LRAP25-mediated CDC42BPA/CDC42BPB targeting to LIMK1 and the lamellipodium results in LIMK1 activation and the subsequent

phosphorylation of CFL1 which is important for lamellipodial F-actin regulation

(PubMed:25107909).[UniProtKB/Swiss-Prot Function]