

## Product datasheet for MR201056L3

### Mcpt4 (BC026198) Mouse Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Mcpt4 (BC026198) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Mcpt4
Synonyms:	MMCP-4, MMCP-4A, MMCP-4B
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR201056).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.


ACCN:	BC026198
ORF Size:	450 bp



[View online »](#)

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">BC026198</a> , <a href="#">AAH26198</a>
<b>RefSeq Size:</b>	554 bp
<b>RefSeq ORF:</b>	452 bp
<b>Locus ID:</b>	17227
<b>Cytogenetics:</b>	14 28.19 cM
<b>Gene Summary:</b>	Has chymotrypsin-like activity. Hydrolyzes the amide bonds of synthetic substrates having Tyr and Phe residues at the P1 position. Preferentially hydrolyzes the 'Tyr-4- -Ile-5' bond of angiotensin I and the 'Phe-20- -Ala-21' bond of amyloid beta-protein, and is less active towards the 'Phe-8- -His-9' bond of angiotensin I and the 'Phe-4- -Ala-5' and 'Tyr-10- -Glu-11' bonds of amyloid beta-protein. Involved in thrombin regulation and fibronectin processing. [UniProtKB/Swiss-Prot Function]

## Product images:



Circular map for MR201056L3