

# **Product datasheet for MR201118**

## Nhp2 (NM\_026631) Mouse Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Nhp2 (NM\_026631) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Nhp2

Synonyms: 2410130M07Rik; D11Ertd175e; Nola2

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR201118 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGACCAAAGTAAAGGCCGCTCCCGAAGAGTCCGAGGCGCAGGCGGAGGGCTGCAGCGAGGAGCGCACGT
ACAAAGAGCTGCTGGTCAATCTGAACCCCATCGCGCAGCCCCTGGCTTCCCGCCGCCTGACGCGCAAGCT
CTACAAGTGCATCAAGAAGGCTGTGAAGCAGAAGCAGATTCGTCGCGGGGTGAAGGAGGTTCAGAAATTT
GTCAACAAGGGCGAGAAAGGGATCATGGTTTTTGGCAGGAGATACATTGCCGATTGAGGTGTACTGCCATC
TTCCAGTTCTGTGCGAGGACCAGAACTTGCCCTACGTCTACATCCCCTCTAAGACGGACCTTGGGTGCAGC
CACAGGCTCCAAGCGTCCCACTTGTGTGATCATGGTGAAGCCCCATGAAGAATATCAGGAGACCTACGAC
AAGTGCCTGGAGGAGGAGCAGCACTGCCTACACCTCTG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA** 

**Protein Sequence:** >MR201118 protein sequence

Red=Cloning site Green=Tags(s)

MTKVKAAPEESEAQAEGCSEERTYKELLVNLNPIAQPLASRRLTRKLYKCIKKAVKQKQIRRGVKEVQKF VNKGEKGIMVLAGDTLPIEVYCHLPVLCEDQNLPYVYIPSKTDLGAATGSKRPTCVIMVKPHEEYQETYD

KCLEEVQALPTPL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_026631

ORF Size: 462 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

Q9CRB2

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 026631.4</u>

RefSeq Size:1004 bpRefSeq ORF:462 bpLocus ID:52530

**UniProt ID:** 




**Cytogenetics:** 11 31.14 cM **MW:** 17.2 kDa

**Gene Summary:** Required for ribosome biogenesis and telomere maintenance. Part of the H/ACA small

nucleolar ribonucleoprotein (H/ACA snoRNP) complex, which catalyzes pseudouridylation of rRNA. This involves the isomerization of uridine such that the ribose is subsequently attached to C5, instead of the normal N1. Each rRNA can contain up to 100 pseudouridine ("psi") residues, which may serve to stabilize the conformation of rRNAs. May also be required for correct processing or intranuclear trafficking of TERC, the RNA component of the telomerase reverse transcriptase (TERT) holoenzyme (By similarity).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MR201118