

## **Product datasheet for MR201124**

## Ing5 (BC064674) Mouse Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Ing5 (BC064674) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Ing5

**Synonyms:** 1700001C14Rik; 1700027H23Rik; 1810018M11Rik; AI225768

**Mammalian Cell** 

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR201124 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCAGACCTACGAGATGGTGGATAAACACATCCGAAGACTTGATGCTGACCTGGCGCGCTTTGAGGCTG
ACCTGAAGGACAGGATGGATGGAAGTGACTTTGAGAGCACTGGAGCACGGAGCTTGAAAAAAAGGCCGGAG
TCAGAAAGAAAAAAAGAAGCTCCCGGGGCCGAGGCCGGCGGACGTCAGAAGAGGATACCCCAAAGAAGAAG
AAACATAAAAGCGGGTCTGAGTTTACTGACAGTATCCTATCTGTGCACCCCTCTGATGTGCTGGACATGC
CTGTGGATCCGAATGAGCCTACATACTGCTTGTGCCACCAGGTGTCCTACGGGGAGATGATCGGCTGTGA
CAATCCAGATTGTCCCATTGAGTGGTTTCACTTTGCCTGCGTGGATCTCACCACAAAGCCCAAAGGAAAG
TGGTTTTGTCCACGATGTGTTCAGGAAAAGAGGAAAGA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR201124 protein sequence

Red=Cloning site Green=Tags(s)

MQTYEMVDKHIRRLDADLARFEADLKDRMDGSDFESTGARSLKKGRSQKEKRSSRGRGRRTSEEDTPKKK KHKSGSEFTDSILSVHPSDVLDMPVDPNEPTYCLCHQVSYGEMIGCDNPDCPIEWFHFACVDLTTKPKGK

WFCPRCVQEKRKKK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** BC064674 **ORF Size:** 462 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>BC064674</u>, <u>AAH64674</u>

RefSeq Size: 4579 bp
RefSeq ORF: 464 bp
Locus ID: 66262
Cytogenetics: 1 D




MW:

17.8 kDa

**Gene Summary:** 

Component of the HBO1 complex which has a histone H4-specific acetyltransferase activity, a reduced activity toward histone H3 and is responsible for the bulk of histone H4 acetylation in vivo. Component of the MOZ/MORF complex which has a histone H3 acetyltransferase activity. May function as a transcriptional coactivator for RUNX2. Inhibits cell growth, induces a delay in S-phase progression and enhances Fas-induced apoptosis in an INCA1-dependent manner (By similarity).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MR201124