

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR201219L4V

Hscb (NM_153571) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Hscb (NM_153571) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Hscb
Synonyms:	AI325508; AW049829; Hsc20
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_153571
ORF Size:	480 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR201219).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 153571.1, NP 705799.1</u>
RefSeq Size:	825 bp
RefSeq ORF:	705 bp
Locus ID:	100900
UniProt ID:	Q8K3A0
Cytogenetics:	5 F



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Summary: Hscb (NM_153571) Mouse Tagged ORF Clone Lentiviral Particle – MR201219L4V Gene Summary: Acts as a co-chaperone in iron-sulfur cluster assembly in both mitochondria and the cytoplasm. Required for incorporation of iron-sulfur clusters into SDHB, the iron-sulfur protein subunit of succinate dehydrogenase that is involved in complex II of the mitochondrial electron transport chain. Recruited to SDHB by interaction with SDHAF1 which

first binds SDHB and then recruits the iron-sulfur transfer complex formed by HSC20, HSPA9 and ISCU through direct binding to HSC20. Also mediates complex formation between components of the cytosolic iron-sulfur biogenesis pathway and the CIA targeting complex composed of CIAO1, DIPK1B/FAM69B and MMS19 by binding directly to the scaffold protein ISCU and to CIAO1. This facilitates iron-sulfur cluster insertion into a number of cytoplasmic and nuclear proteins including POLD1, ELP3, DPYD and PPAT.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US