

## **Product datasheet for MR201238**

## Ly6h (NM\_001135689) Mouse Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Ly6h (NM\_001135689) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Ly6h

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR201238 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR201238 protein sequence

Red=Cloning site Green=Tags(s)

MPAPQRTPACSPRASFRPYRSMLPAAMKSLGLALLALLLCPSPAHGLWCQDCTLANSSHCAPKQCQPTDT VCASVRITDPSSSRKDHSVNKMCASSCDFVKRHFFSDYLMGFINSGILKVDVDCCEKDLCNGASVAGRSP

WALAGGLLLSLGPALLWAGP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001135689

ORF Size: 483 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq Size: 937 bp
RefSeq ORF: 420 bp
Locus ID: 23934
UniProt ID: Q9WUC3



Cytogenetics: 15 D3

MW: 17 kDa

**Gene Summary:** Believed to act as modulator of nicotinic acetylcholine receptors (nAChRs) activity. In vitro


inhibits alpha-3:beta-4-containing nAChRs maximum response. In vitro inhibits alpha-3:beta-

4-containing nAChRs maximum response (PubMed:26276394). May play a role in the

intracellular trafficking of alpha-7-containing nAChRs and may inhibit their expression at the cell surface (PubMed:25716842). Seems to inhibit alpha-7/CHRNA7 signaling in hippocampal

neurons (By similarity).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MR201238