

Product datasheet for MR201300

Jdp2 (NM_030887) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Jdp2 (NM_030887) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Jdp2

Synonyms: Jundm2; Jundp2; TIF

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR201300 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA**

Protein Sequence: >MR201300 protein sequence

Red=Cloning site Green=Tags(s)

MMPGQIPDPSVTAGSLPGLGPLTGLPSSALTTEELKYADIRNIGAMIAPLHFLEVKLGKRPQPVKSELDE EEERRKRRREKNKVAAARCRNKKKERTEFLQRESERLELMNAELKTQIEELKLERQQLILMLNRHRPTCI

VRTDSVRTPESEGNPLLEQLDKK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_030887

ORF Size: 492 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 030887.1, NM 030887.2, NP 112149.2</u>

RefSeq Size: 1662 bp
RefSeq ORF: 492 bp
Locus ID: 81703
UniProt ID: P97875



Cytogenetics: 12 D2


MW: 18.7 kDa

Gene Summary: Component of the AP-1 transcription factor that represses transactivation mediated by the

Jun family of proteins. Involved in a variety of transcriptional responses associated with AP-1, such as UV-induced apoptosis, cell differentiation, tumorigenesis and antitumogeneris. Can also function as a repressor by recruiting histone deacetylase 3/HDAC3 to the promoter region of JUN. May control transcription via direct regulation of the modification of histones

and the assembly of chromatin (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR201300