

Product datasheet for MR201381L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cdkn2c (NM_007671) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Cdkn2c (NM_007671) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Cdkn2c

Synonyms: C77269; INK; INK4c; p1; p18; p18-INK4c; p18-INK6; p18IN; p18INK4c

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR201381).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_007671

ORF Size: 507 bp





Cdkn2c (NM_007671) Mouse Tagged Lenti ORF Clone - MR201381L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

4 51.32 cM

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 007671.2</u>

RefSeq Size:1134 bpRefSeq ORF:507 bpLocus ID:12580

UniProt ID: Q60772

Cytogenetics:


Gene Summary: The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase

(cdk) inhibitors, and contains five ankyrin repeats. This protein interacts with both Cdk4 and Cdk6 to inhibit their kinase activities, and prevent their interactions with D-type cyclins, thereby negatively regulating cell division. This gene is differentially expressed in a variety of tissues, and is cell cycle regulated. Deletion of this gene can lead to tumor growth. Maximal expression is observed at the G2/M phase. Alternative splicing and promoter usage results in

multiple transript variants. [provided by RefSeq, Aug 2014]



Product images:



Circular map for MR201381L4