

## Product datasheet for MR201727L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Nsg1 (NM\_010942) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Nsg1 (NM\_010942) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Nsg1

**Synonyms:** m234; Neep21; p21

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 010942

ORF Size: 555 bp

**ORF Nucleotide** 

TI 005 '

Sequence:
OTI Disclaimer:

The ORF insert of this clone is exactly the same as(MR201727).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 010942.3

 RefSeq Size:
 2140 bp

 RefSeq ORF:
 558 bp

 Locus ID:
 18196

 UniProt ID:
 Q62092

 Cytogenetics:
 5 20.21 cM







## **Gene Summary:**

Plays a role in the recycling mechanism in neurons of multiple receptors, including AMPAR, APP and L1CAM and acts at the level of early endosomes to promote sorting of receptors toward a recycling pathway (PubMed:15187090, PubMed:12070131, PubMed:21084623, PubMed:16037816). Regulates sorting and recycling of GRIA2 through interaction with GRIP1 and then contributes to the regulation of synaptic transmission and plasticity by affecting the recycling and targeting of AMPA receptors to the synapse (PubMed:16037816). Is required for faithful sorting of L1CAM to axons by facilitating trafficking from somatodendritic early endosome or the recycling endosome (By similarity). In an other hand, induces apoptosis via the activation of CASP3 in response to DNA damage (By similarity).[UniProtKB/Swiss-Prot Function]