

# **Product datasheet for MR201738**

### Arl6 (NM\_019665) Mouse Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Arl6 (NM\_019665) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Arl6

**Synonyms:** 1110018H24Rik; 2210411E14Rik; BBS3

Mammalian Cell Neomycin

Selection:

....

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR201738 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR201738 protein sequence

Red=Cloning site Green=Tags(s)

MVLLDRLSGLLGLKKKEVHVLCLGLDNSGKTTIINKLKPSNAQSQDIVPTIGFSIEKFKSSSLSFTVFDM SGQGRYRNLWEHYYKDGQAIIFVIDSSDKLRMVVAKEELDTLLNHPDIKHRRIPILFFANKMDLRDSVTS

VKVSQLLCLESIKDKPWHICASDAIKGEGLQEGVDWLQDQIQAVKT

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

**Restriction Sites:** Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_019665

ORF Size: 561 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 019665.2</u>, <u>NP 062639.2</u>

 RefSeq Size:
 1512 bp

 RefSeq ORF:
 561 bp

 Locus ID:
 56297

 UniProt ID:
 088848

 Cytogenetics:
 16 C1.3




MW:

21 kDa

**Gene Summary:** 

Involved in membrane protein trafficking at the base of the ciliary organelle (By similarity). Mediates recruitment onto plasma membrane of the BBSome complex which would constitute a coat complex required for sorting of specific membrane proteins to the primary cilia (By similarity). Together with BBS1, is necessary for correct trafficking of PKD1 to primary cilia (PubMed:24939912). Together with the BBSome complex and LTZL1, controls SMO ciliary trafficking and contributes to the sonic hedgehog (SHH) pathway regulation (By similarity). May regulate cilia assembly and disassembly and subsequent ciliary signaling events such as the Wnt signaling cascade (By similarity). Isoform 2 may be required for proper retinal function and organization (PubMed:20333246).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MR201738