

Product datasheet for MR201860

Hpca (NM_001130419) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Hpca (NM_001130419) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Hpca

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR201860 representing NM_001130419
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CAGCAGCGCCTCCCAGTTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR201860 representing NM_001130419

Red=Cloning site Green=Tags(s)

MGKQNSKLRPEMLQDLRENTEFSELELQEWYKGFLKDCPTGILNVDEFKKIYANFFPYGDASKFAEHVFR TFDTNSDGTIDFREFIIALSVTSRGRLEQKLMWAFSMYDLDGNGYISREEMLEIVQAIYKMVSSVMKMPE

DESTPEKRTEKIFRQMDTNNDGKLSLEEFIRGAKSDPSIVRLLQCDPSSASQF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001130419

ORF Size: 579 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001130419.2</u>

 RefSeq Size:
 1655 bp

 RefSeq ORF:
 582 bp

 Locus ID:
 15444

 UniProt ID:
 P84075

 Cytogenetics:
 4 D2.2




MW: 22.4 kDa

Gene Summary: Calcium-binding protein that may play a role in the regulation of voltage-dependent calcium

channels. May also play a role in cyclic-nucleotide-mediated signaling through the regulation

of adenylate and guanylate cyclases.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR201860