

Product datasheet for MR201887

Washc3 (NM_026070) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Washc3 (NM 026070) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Washc3

Synonyms: 2900091E11Rik; 5730495F03Rik; Ccdc53

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR201887 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TAGTGACTCTTCCTTCAGTGAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR201887 protein sequence

Red=Cloning site Green=Tags(s)

MDEDGLPLMGSGIDLTKVPAIQQKRTVAFLNQFVVHTVQFLNRFSAVCEEKLADLSLRIQQIETTLNILD AKLSSIPGLEDVTVEVSPLNVTAVTNGSHSETTSEQTQQNSTQDSGAQESEAPSENVLTVAKDPRYARYR

KMVQVGVPVMAIRDKMISEGLDPELLEKPDAPVPNGESKRAVEESSDSDSSFSD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_026070

ORF Size: 585 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 026070.1, NM 026070.2, NM 026070.3, NP 080346.1

RefSeq Size: 1048 bp
RefSeq ORF: 585 bp
Locus ID: 67282
UniProt ID: Q9CR27



Cytogenetics: 10 C1


MW: 21.1 kDa

Gene Summary: Acts at least in part as component of the WASH core complex whose assembly at the surface

of endosomes seems to inhibit WASH nucleation-promoting factor (NPF) activity in recruiting and activating the Arp2/3 complex to induce actin polymerization, and which is involved in regulation of the fission of tubules that serve as transport intermediates during endosome

sorting.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR201887