

Product datasheet for MR202011

Chmp1b (NM_024190) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Chmp1b (NM_024190) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Chmp1b
Synonyms: 2810405I11Rik; Chmp1b1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >MR202011 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGGATCGCC

ATGTCCAACATGGAGAAGCATCTGTTCAACCTGAAATTCGCGGCCAAAGAACTGAACCGGAGTCCAAAA
 AATGCGACAAGGAAGAAAAGGCCGAAAAGGCCAAAATTAAGGCCATTGAGAAGGCAACATGGAAGT
 TGCGAGGATTCACGCCGAAAATGCCATCCGCCAGAAGAATCAAGGGTGAACCTTTGAGAATGAGTGCA
 CGAGTGGATGCGGTGGCGCCCGTGTCCAGACTGCAGTACGATGGGCAAAGTGACCAAGTCCATGGCGG
 GTGTGGTTAAGTCGATGGACGCGACGTTGAAAAGTATGAATCTGGAGAAGATCTCCGCTTTGATGGACAA
 ATTCGAACACCAGTTCGAGACTCTGGACGTCAGACGCAGCAAAATGGAAGACACAATGAGCAGCAGCAGC
 ACGCTGACCACTCCCAGAACCCAGGTGGATATGCTGCTCCAGGAAATGGCAGATGAGGCGGGCCTCGATC
 TCAACATGGAGCTGCCTCAGGGCCAGACCGGTTCCGTGGGAACGAGCGTGGCTTCGGCTGAGCAAGATGA
 ACTGTCCCAGAGACTGGCCCGCCTTCGGGATCAAGTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR202011 protein sequence
 Red=Cloning site Green=Tags(s)

MSNMEKHLFNLKFAAKELNRSSKKCDKEEKAIEKAIQKGNMEVARIHAENAIRQKNQGVNFLRMSA
 RVDAAARVQTAVTMGKVTSMAGVVKSMDATLKSMLLEKISALMDKFEHQFETLDVQTTQMEDTMSSTT
 TLTPPNQVDMLLQEMADEAGLDLNMELPQGQTSVGTGSVASAEQDELSQLRLARLRDQV


TRTRPLEQKLISEEDLAANDILDYKDDDDKV



[View online »](#)

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_024190

ORF Size: 600 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_024190.2](#), [NP_077152.1](#)

RefSeq Size: 2529 bp

RefSeq ORF: 600 bp


Locus ID: 67064

UniProt ID: [Q99LU0](#)

Cytogenetics: 18 E1
MW: 22.1 kDa

Gene Summary: Probable peripherally associated component of the endosomal sorting required for transport complex III (ESCRT-III) which is involved in multivesicular bodies (MVBs) formation and sorting of endosomal cargo proteins into MVBs. MVBs contain intraluminal vesicles (ILVs) that are generated by invagination and scission from the limiting membrane of the endosome and mostly are delivered to lysosomes enabling degradation of membrane proteins, such as stimulated growth factor receptors, lysosomal enzymes and lipids. The MVB pathway appears to require the sequential function of ESCRT-O, -I, -II and -III complexes. ESCRT-III proteins mostly dissociate from the invaginating membrane before the ILV is released. The ESCRT machinery also functions in topologically equivalent membrane fission events, such as the terminal stages of cytokinesis. ESCRT-III proteins are believed to mediate the necessary vesicle extrusion and/or membrane fission activities, possibly in conjunction with the AAA ATPase VPS4. Involved in cytokinesis. Involved in recruiting VPS4A and/or VPS4B and SPAST to the midbody of dividing cells (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR202011