

# Product datasheet for MR202136

### Thoc7 (NM\_025435) Mouse Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	Thoc7 (NM_025435) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Thoc7
Synonyms:	Nif3l1bp1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR202136 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGGAGCCGTGACTGACGACGAAGTTATACGGAAACGTCTTCTGATTGAT
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>
Protein Sequence:	>MR202136 protein sequence Red=Cloning site Green=Tags(s)
	MGAVTDDEVIRKRLLIDGDGAGDDRRINLLVKSFIKWCNSGSQEEGYSQYQRMLSTLSQCEFSMGKTLLV YDMNLREMENYEKIYKEIECSIAGAHEKIAECKKQILQAKRIRKNRQEYDALAKMIQHHPDRHETLKELE ALGKELEHLSHIKESVEDKLELRRKQFHVLLSTIHELQQTLENDDKLSEVDEAQESTMEADPKP
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


## **GRIGENE** Thoc7 (NM\_025435) Mouse Tagged ORF Clone – MR202136



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Thoc7 (NM_025435) Mouse Tagged ORF Clone – MR202136
Cytogenetics:	14 A1
MW:	23.7 kDa
Gene Summary:	Required for efficient export of polyadenylated RNA. Acts as component of the THO subcomplex of the TREX complex which is thought to couple mRNA transcription, processing and nuclear export, and which specifically associates with spliced mRNA and not with unspliced pre-mRNA. TREX is recruited to spliced mRNAs by a transcription-independent mechanism, binds to mRNA upstream of the exon-junction complex (EJC) and is recruited in a splicing- and cap-dependent manner to a region near the 5' end of the mRNA where it functions in mRNA export to the cytoplasm via the TAP/NFX1 pathway.[UniProtKB/Swiss-Prot Function]

# Product images:



Circular map for MR202136

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US