

Product datasheet for MR202173

Emc9 (NM 033146) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Emc9 (NM 033146) Mouse Tagged ORF Clone

Tag: Myc-DDK Emc9

Synonyms: 1500005A01Rik; Cgi112; Fam158a

Mammalian Cell Neomycin

Selection:

Symbol:

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >MR202173 representing NM_033146

Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGGGGAGGTGGAGATCTCCGCCCGAGCCTACGGGAAGATGTGTCTGCACGCCTCTCGGTACCCACACG CTGCTGTCAACGGGTTGTTGCTGGCTCCCGCGACGGGGTCCGGAGAATGCCTCTGCCTCACCGACTGTGT GCCCCTCTTCCACAGCCATCTGGCCTTGTCCGTCATGCTGGAGGTCGCGCTCAACCAGGTGGATGTGTGG GGCGCGCAGGCCGGTCTGGTGGTAGCTGGGTACTACCATGCCAATGCGGTTTTGGATGACCAGAGCCCCG GGCCTCTGGCCTTGAAAATCGCTGGGCGAATTGCAGAATTCTTCCCCAGGGCAGTGCTTATTATGCTGGA TAATAAGAAATTGGTGACTCGGCCTCGTGTACCTCCAGTCATTGTCCTGGAGAACCAGGGTCTTCAGTGG TGGAGGGCCGGGCTCACCAGCATCTTGTGGACTTTGACTGCCATCTTGATGACATTCGGCAGGACTGGAC

CAACCAGCGGCTTAACACTCAAATCACTCAATGGAGTGGTTCCACAGATGGAAATGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>MR202173 representing NM_033146 **Protein Sequence:**

Red=Cloning site Green=Tags(s)

MGEVEISARAYGKMCLHASRYPHAAVNGLLLAPATGSGECLCLTDCVPLFHSHLALSVMLEVALNQVDVW GAQAGLVVAGYYHANAVLDDQSPGPLALKIAGRIAEFFPRAVLIMLDNKKLVTRPRVPPVIVLENQGLQW VPKDKNLVMWRDWEESRQMVGALLEGRAHQHLVDFDCHLDDIRQDWTNQRLNTQITQWSGSTDGNA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com


ORÏGENE

Chromatograms: https://cdn.origene.com/chromatograms/mm9062 e05.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_033146

ORF Size: 618 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeg: NM 033146.1, NP 149158.1

RefSeq Size: 805 bp
RefSeq ORF: 621 bp
Locus ID: 85308



 UniProt ID:
 Q9DB76


 Cytogenetics:
 14 C3

 MW:
 22.8 kDa

Gene Summary: Part of the endoplasmic reticulum membrane protein complex (EMC) that enables the

energy-independent insertion into endoplasmic reticulum membranes of newly synthesized membrane proteins. Preferentially accommodates proteins with transmembrane domains that are weakly hydrophobic or contain destabilizing features such as charged and aromatic residues. Involved in the cotranslational insertion of multi-pass membrane proteins in which stop-transfer membrane-anchor sequences become ER membrane spanning helices. It is also required for the post-translational insertion of tail-anchored/TA proteins in endoplasmic reticulum membranes. By mediating the proper cotranslational insertion of N-terminal transmembrane domains in an N-exo topology, with translocated N-terminus in the lumen of the ER, controls the topology of multi-pass membrane proteins like the G protein-coupled receptors. By regulating the insertion of various proteins in membranes, it is indirectly involved in many cellular processes.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR202173