

Product datasheet for MR202204

Rab8b (NM 173413) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Rab8b (NM_173413) Mouse Tagged ORF Clone

Tag: Myc-DDK Rab8b Symbol:

Synonyms: 5930437D16; D330025I23Rik

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL) **ORF Nucleotide** >MR202204 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCGAAGACGTACGATTATCTGTTCAAGCTGCTGCTCATCGGCGACTCCGGCGTTGGCAAGACCTGCC TCCTGTTCCGCTTCTCAGAGGACGCCTTCAACACCACCTTTATCTCCACCATCGGAATTGATTTTAAAAT CAGAACGATAGAACTCGACGGAAAGAAAATTAAACTTCAGATATGGGACACGGCGGGCCAGGAAAGATTC CGAACAATTACGACAGCATACTATAGAGGAGCCATGGGAATTATGCTGGTCTATGACATCACCAATGAAA AATCCTTTGACAATATTAAAAATTGGATAAGAAACATTGAAGAGCACGCCTCTTCAGATGTTGAAAGAAT ATTGACTATGGGATTAAATTTTTGGAGACAAGTGCAAAGTCGAGTACAAATGTAGAAGAGGCATTTTTTA CACTTGCACGGGATATAATGACAAAACTCAACAGGAAAATGAACGACAGCAATTCATCAGGAGCAGGTGG

GCCAGTGAAGATAACAGAGAGCCGGTCTAAGAAGACCAGTTTCTTCCGCTGTTCTCTGCTT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>MR202204 protein sequence **Protein Sequence:**

Red=Cloning site Green=Tags(s)

MAKTYDYLFKLLLIGDSGVGKTCLLFRFSEDAFNTTFISTIGIDFKIRTIELDGKKIKLQIWDTAGQERF RTITTAYYRGAMGIMLVYDITNEKSFDNIKNWIRNIEEHASSDVERMILGNKCDMNDKRQVSKERGEKLA IDYGIKFLETSAKSSTNVEEAFFTLARDIMTKLNRKMNDSNSSGAGGPVKITESRSKKTSFFRCSLL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

ORIGENE

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_173413

ORF Size: 624 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 173413.3</u>

RefSeq Size: 4751 bp
RefSeq ORF: 624 bp
Locus ID: 235442
UniProt ID: P61028
Cytogenetics: 9 C

MW: 23.6 kDa


Gene Summary: The small GTPases Rab are key regulators of intracellular membrane trafficking, from the

formation of transport vesicles to their fusion with membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different sets of downstream effectors directly responsible for vesicle formation, movement,

tethering and fusion. That Rab may be involved in polarized vesicular trafficking and neurotransmitter release. May participate in cell junction dynamics in Sertoli cells (By

similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR202204