

Product datasheet for MR202276L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hmgb2 (BC002050) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Hmgb2 (BC002050) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Hmgb2

C80539; HMG-2; Hmg2 Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

mGFP Tag:

ACCN: BC002050 **ORF Size:** 630 bp

ORF Nucleotide

OTI Disclaimer:

The ORF insert of this clone is exactly the same as(MR202276).

Sequence:

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

The molecular sequence of this clone aligns with the gene accession number as a point of

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: BC002050, AAH02050

RefSeq Size: 1076 bp RefSeq ORF: 632 bp Locus ID: 97165

Cytogenetics: 8 29.9 cM



Gene Summary:

Multifunctional protein with various roles in different cellular compartments. May act in a redox sensitive manner. In the nucleus is an abundant chromatin-associated non-histone protein involved in transcription, chromatin remodeling and V(D)| recombination and probably other processes. Binds DNA with a preference to non-canonical DNA structures such as single-stranded DNA. Can bent DNA and enhance DNA flexibility by looping thus providing a mechanism to promote activities on various gene promoters by enhancing transcription factor binding and/or bringing distant regulatory sequences into close proximity (By similarity). Involved in V(D)J recombination by acting as a cofactor of the RAG complex: acts by stimulating cleavage and RAG protein binding at the 23 bp spacer of conserved recombination signal sequences (RSS) (PubMed:9184213). Proposed to be involved in the innate immune response to nucleic acids by acting as a cytoplasmic promiscuous immunogenic DNA/RNA sensor which cooperates with subsequent discriminative sensing by specific pattern recognition receptors (PubMed:19890330). In the extracellular compartment acts as a chemokine. Promotes proliferation and migration of endothelial cells implicating AGER/RAGE (By similarity). Has antimicrobial activity in gastrointestinal epithelial tissues (By similarity). Involved in inflammatory response to antigenic stimulus coupled with proinflammatory activity (PubMed:25306442). May play a role in germ cell differentiation (PubMed:11262228). Involved in modulation of neurogenesis probably by regulation of neural stem proliferation (PubMed:24391977). Involved in articular cartilage surface maintenance implicating LEF1 and the Wnt/beta-catenin pathway (PubMed:19805379).[UniProtKB/Swiss-Prot Function]