**OriGene Technologies, Inc.**
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

# Product datasheet for MR202628

## Macrod2 (NM_001013802) Mouse Tagged ORF Clone

### Product data:

| | |
|---|---|
| **Product Type:** | Expression Plasmids |
| **Product Name:** | Macrod2 (NM_001013802) Mouse Tagged ORF Clone |
| **Tag:** | Myc-DDK |
| **Symbol:** | Macrod2 |
| **Synonyms:** | 1110033L15Rik; 2610107G07Rik; 2900006F19Rik |
| **Mammalian Cell Selection:** | Neomycin |
| **Vector:** | pCMV6-Entry (PS100001) |
| **E. coli Selection:** | Kanamycin (25 ug/mL) |

**ORF Nucleotide Sequence:**

>MR202628 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGAACGAGTTTTTCCCTGTTGATGATAACAATGAAGGAACCGATGCTGACATGAAAGAAGATTCAGAAG
GGCCAGAGCCTAAAGGCCTTTCTCCACCCCACAAGAAGAGCAAAGCAAAGAAACCAGAAAGTTCTAAAGA
CTCCAGTGAAGATGAAAGTGGTCCAGAGGAGAAGCAAACTGCGGAAGAAATGGAAGGGCAGAGCCAAGAA
GCAGATGGTGTCAACACCACCCCTGTGCCCAGCCCAGCTTCCGAAGACAAAGCTGAAGTCCACAAAGATG
AAGCAGATTCTGCAAAGGATGACAATACTGTAAAAGACAGTGACATGACCAATCATTCTGTGTGTGACCA
AGAACTTCCCAATGGACAAGAGAATGACTCAGCAAAGAGTGAGGGGAAAACTGAGGCAGAATCCCCAAGC
TCCTCTATGGAAACAGAAGACCTTTCACCAAATCAAGAAGATGCCGCAATTGTGGAACAACCAGAAGTGA
TCCCCCTGATAGATGACCAAGAAGCACAGGAAGGTGGAGAAGCTCAAGGCAAGGATGCACCTGCTGTGTT
TGCAGAAAGCCAAGGTTCCAGCGAGGCAGAAAACACTTCAGGTCCTGATGTTGACATGAACAGTCAGGTG
GATGGTGTAAATGAGCCAACAGAGAGTCTGCAAGAAGATCTCCAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



View online »

**Protein Sequence:**

>MR202628 protein sequence
Red=Cloning site Green=Tags(s)

MNEFFPVDDNNEGTDADMKEDSEGPEPKGLSPPHKKSKAKKPESSKDSSEDESGPEEKQTAEEMEGQSQE
ADGVNTTPVPSPASEDKAEVHKDEADSAKDDNTVKDSDMTNHSVCDQELPNGQENDSAKSEGKTEAESPS
SSMETEDLSPNQEDAAIVEQPEVIPLIDDQEAQEGGEAQGKDAPAVFAESQGSSEAENTSGPDVDMNSQV
DGVNEPTESLQEDLQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM_001013802

**ORF Size:** 678 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

| | |
|---|---|
| **Components:** | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| **Reconstitution Method:** | 1. Centrifuge at 5,000xg for 5min.<br>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.<br>3. Close the tube and incubate for 10 minutes at room temperature.<br>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.<br>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| **RefSeq:** | NM_001013802.1 |
| **RefSeq Size:** | 1893 bp |
| **RefSeq ORF:** | 1428 bp |
| **Locus ID:** | 72899 |
| **UniProt ID:** | Q3UYG8 |
| **Cytogenetics:** | 2 F3-G1 |
| **MW:** | 24 kDa |
| **Gene Summary:** | Removes ADP-ribose from asparatate and glutamate residues in proteins bearing a single ADP-ribose moiety. Inactive towards proteins bearing poly-ADP-ribose. Deacetylates O-acetyl-ADP ribose, a signaling molecule generated by the deacetylation of acetylated lysine residues in histones and other proteins.[UniProtKB/Swiss-Prot Function] |

## Product images:




Circular map for MR202628