

Product datasheet for MR202718L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Rybp (NM_019743) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Rybp (NM 019743) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Rybp

Synonyms: 2410018J24Rik; DEDAF; YEAF1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 019743

ORF Size: 687 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR202718).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 019743.3, NP 062717.2

RefSeq Size: 4376 bp
RefSeq ORF: 687 bp
Locus ID: 56353
UniProt ID: Q8CCI5
Cytogenetics: 6 D3







Gene Summary:

Component of a Polycomb group (PcG) multiprotein PRC1-like complex, a complex class required to maintain the transcriptionally repressive state of many genes, including Hox genes, throughout development. PcG PRC1-like complex acts via chromatin remodeling and modification of histones; it mediates monoubiquitination of histone H2A 'Lys-119', rendering chromatin heritably changed in its expressibility (PubMed:22325148, PubMed:28596365). Component of a PRC1-like complex that mediates monoubiquitination of histone H2A 'Lys-119' on the X chromosome and is required for normal silencing of one copy of the X chromosome in XX females (PubMed:28596365). May stimulate ubiquitination of histone H2A 'Lys-119' by recruiting the complex to target sites (PubMed:22325148, PubMed:28596365). Inhibits ubiquitination and subsequent degradation of TP53, and thereby plays a role in regulating transcription of TP53 target genes (By similarity). May also regulate the ubiquitinmediated proteasomal degradation of other proteins like FANK1 to regulate apoptosis (PubMed:17874297). May be implicated in the regulation of the transcription as a repressor of the transcriptional activity of E4TF1 (By similarity). May bind to DNA (PubMed:19170609). May play a role in the repression of tumor growth and metastasis in breast cancer by downregulating SRRM3 (PubMed:27748911).[UniProtKB/Swiss-Prot Function]