

Product datasheet for **MR202744**

Cwc15 (NM_023153) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cwc15 (NM_023153) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Cwc15
Synonyms:	0610040D20Rik; 2900052N06Rik; c11orf5; Ed1; mED1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR202744 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGACAACAGCAGCCAGGCCAACTTTTGAACCTGCAAGAGGTGGGAGAGGAAAAGGAGAAGGGATTGAG
GCCAGCTCTCCAAGCAGTATTCAAGCAGAGATCTCCCTCTCATACAAAGATAAAGTACAGACAAACCAC
ACAGGATGCCCTGAAGAGGTTGAAACCGTGACTTCAGGAGAGAAGTGGAAAGAGAGAGAGAGCTGCT
GCAAGGGACAAAAACAGGACCGCCCAACTCGAGAGCATACAACCTCCTCTTCAGTGTCAAAGAAGCCCC
GCTTAGACCAGATTCCTGCTGCCAACCTTGATGCTGACGATCCTCTCACAGACGAGGAAGATGAAGATTT
TGAAGAGGAGAGCGATGACGATGATACTGCAGCTTTCTCGCAGAGCTAGAAAAGATCAAGAAGGAAAGA
GCTGAAGAGCAGGCCAGGAAGGAACAAGAACAAGCAAGCAAGGAGAGAGAAATTCGCATGAAAAACATTC
TGAGTGGAAACCTCTCCTAAACCTCACTGGCCCGTCCCAGCCTCAGGCCAACTCAAGGTAAAAGAAG
ATGGGATGATGATGTCGTTTTTAAGAACTGTGCAAAAGGTATAGATGACCAGAAGAAAGACAAACGATTT
GTAATGATACACTGCGATCTGAATTTACAAGAAGTTCATGGAGAAATATATTAAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_023153.3](#), [NP_075642.1](#)

RefSeq Size: 1152 bp

RefSeq ORF: 690 bp

Locus ID: 66070


UniProt ID: [Q9JHS9](#)

Cytogenetics: 9 A2

MW: 26.6 kDa

Gene Summary: Involved in pre-mRNA splicing as component of the spliceosome. Component of the PRP19-CDC5L complex that forms an integral part of the spliceosome and is required for activating pre-mRNA splicing.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR202744