

# **Product datasheet for MR203028**

## Med19 (NM\_025885) Mouse Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Med19 (NM\_025885) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Med19

**Synonyms:** 2410018M14Rik; 3110040A13Rik; LCMR1

Mammalian Cell Neomycin

Selection:

**ORF Nucleotide** 

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

>MR203028 ORF sequence

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$ 

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Protein Sequence:** >MR203028 protein sequence

Red=Cloning site Green=Tags(s)


MENFTALFGAQTDPPPPPSALGFGPGKPPPPPPPPGGGPGAAPPSTATSAPAGADKSTAGSGPFYLMRE LPGSTELTGSTNLITHYNLEQAYNKFCGKKVKEKLSNFLPDLPGMIDLPGSHDNSSLRSLIEKPPILGGS FNPITGTMLSGFRLHTGPLPEQCRLMHIQPPKKKNKHKHKQSRTQDPVPPETPSDSDHKKKKKKKEEDPE RKRKKKEKKKKNRHSPDHPGMGSSQASSSSSLR


#### TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** 

Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_025885

ORF Size: 735 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



#### **Reconstitution Method:**

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 025885.3</u>

 RefSeq Size:
 2075 bp

 RefSeq ORF:
 735 bp

 Locus ID:
 381379

 UniProt ID:
 Q8C1S0

 Cytogenetics:
 2 D


**MW:** 26.3 kDa

Gene Summary: Com

Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors (By similarity).

[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MR203028