

Product datasheet for **MR203228**

Clic4 (NM_013885) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Clic4 (NM_013885) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Clic4
Synonyms:	D0Jmb3; mc3s5; mtCLIC; TU-74
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR203228 representing NM_013885 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGCTGTCGATGCCCTGAACGGGCTGAAGGAGGAGGACAAAGAGCCCCTCATCGAGCTCTTCGTCA
AGGCCGGAAGTGATGGTGAAGCATTGGAACTGCCCTTTTCACAGAGGCTCTTCATGATCCTTTGGCT
CAAAGGAGTCGTGTTCAAGTGTACAACCGTTGACCTGAAAAGGAACTGCAGATCTACAGAACTGGCT
CCTGGGACCCACCGCCATTTAACTTCAACAGCGAAGTCAAGACGGATGTGAATAAGATTGAGGAAT
TTCTCGAAGAAGTCTTGCCCACTTCACTGCTTACATCAAGAACTCAAGACAGAGGCTAATGAAGCGCTG
TGGAAATGGACATCTTTGCCAAATTCCTGCTTACATCAAGAACTCAAGACAGAGGCTAATGAAGCGCTG
GAGAGGGGGCTCTTGAACGCTGCAGAACTGGATGAGTACCTCAACTCTCCCCTCCCCGACGAAATCG
ACGAGAACAGCATGGAGGACATCAAATTTCCACACGTCGGTTTCTGGACGGCGATGAGATGACATTAGC
AGACTGTAACCTGCTGCCAAGCTCCACATTGTCAAGTGGTGGCCAAAAATACCGCAACTTTGATATT
CCTAAAGGAATGACAGGCATCTGGAGGTACCTGACAAACGCTACAGCAGGGACGAGTTACCAACACCT
GTCCCAGCGACAAGGAGGTGAAATCGCGTACAGCGATGTCGCCAAGAGACTTACCAAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >MR203228 representing NM_013885
Red=Cloning site Green=Tags(s)

MALSMPLNGLKEEDKEPLIELFVKAGSDGESIGNCPFSQRLFMILWLKGVVFSVTTVDLKRKPADLQNLAPGTHPPFITFNSEVKTDVNKIEEFLEEVLCPPKYLKLSPKHPESNTAGMDIFAKFSAYIKNSRPEANEALERGLLKTQLKDEYLN SPLPDEIDENSMEDIKFSTRRFLDGD EMTLADCNLLPKLHIVKVVAKKYRNFDPKGMTGIWRYLTNAYSRDEFTNTCPSDKEVEIAYS DVAKRLTK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9038_e07.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_013885


ORF Size: 759 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_013885.2, NP_038913.1</u>
RefSeq Size:	4065 bp
RefSeq ORF:	762 bp
Locus ID:	29876
UniProt ID:	<u>Q9QYB1</u>
Cytogenetics:	4 D3
MW:	29.2 kDa
Gene Summary:	Can insert into membranes and form poorly selective ion channels that may also transport chloride ions. Channel activity depends on the pH. Membrane insertion seems to be redox-regulated and may occur only under oxydizing conditions. Promotes cell-surface expression of HRH3 (By similarity). May play a role in angiogenesis.[UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MR203228