

Product datasheet for MR203391L3

Cd320 (NM_019421) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Cd320 (NM_019421) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: Cd320

Synonyms: 8D6; 425O18-1; D17Ertd716e; NG29; TCblR; VLDL

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(MR203391).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_019421

ORF Size: 783 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cd320 (NM_019421) Mouse Tagged Lenti ORF Clone - MR203391L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 019421.3, NP 062294.3

 RefSeq Size:
 2209 bp

 RefSeq ORF:
 783 bp

 Locus ID:
 54219

 UniProt ID:
 Q9Z1P5

Cytogenetics: 17 17.98 cM

Gene Summary: Receptor for transcobalamin saturated with cobalamin (TCbl). Plays an important role in

cobalamin uptake. Plasma membrane protein that is expressed on follicular dendritic cells (FDC) and mediates interaction with germinal center B cells. Functions as costimulator to


promote B cell responses to antigenic stimuli; promotes B cell differentiation and

proliferation. Germinal center-B (GC-B) cells differentiate into memory B-cells and plasma cells (PC) through interaction with T-cells and follicular dendritic cells (FDC). CD320 augments

the proliferation of PC precursors generated by IL-10.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR203391L3