

Product datasheet for MR203449

Clec4a2 (NM_001170333) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Clec4a2 (NM_001170333) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Clec4a2
Synonyms:	Clec4a; Clecsf6; DCIR; Dcir1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR203449 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGCTTCAGAAATCACTTATGCAGAAGTGAAGTTCAAGAATGAATCCAACCTCTTGCACACCTACTCAG
AATCTCCTGCAGCTCCCAGAGAGAAACCTATCCGTGATCTAAGAAAGCCTGGTCCCCCTCACTGCTTCT
TACATCCCTGATGCTACTTCTCCTGCTGCTGGCAATCACATTCTAGTTGCTTTTATCATTTATTTCAA
AAGTACTCTCAACTTCTGAAGAAAAAAGCTGCAAAAAATATAATGCACAATGAATTGAACTGCACAA
AAAGTGTTCACCCATGGAAGCACCCCCATTGGACAAAGGGCCCTGACATTAGAGTCAATTGAGATAGA
CTTGGGTATCTTGGCACCTGAGGACAAAGTCTGGAGCTGTTGCCAAAGGATTGGAGGCTATTTGGTTCC
CACTGCTACTTGGTTCCACAGTTTCTTCATCAGCATCTTGAACAAGAGTGAGGAGAAGTCTCCCGCA
TGGGTGCTCATCTAGTGGTGATCCTAAAGCCAGGAAGAGCAGGATTTCACTACTGGGATCTTGGACTCA
TGCTGCTTATTTATAGGGTTGTGGGATACAGGCCATCGGCAATGGCAATGGGTTGATCAGACACCATAT
GAAGAAAGTATCACATTCTGGCACAATGGTGAGCCAGCAGTGGCAATGAAAAATGTGCTACAATAATTT
ACCGTTGGAAGACTGGATGGGGCTGGAACGATATCTCTTCAGTCTTAAACAGAAGTCAGTTTGTGAGAT
GAAGAAAATAAACTTA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >MR203449 protein sequence
Red=Cloning site Green=Tags(s)

MASEITYAEVKFKNESNSLHTYSESPAAPREKPIRDLRKPGSPSLLLTSMLLLLLLAIITFLVAFIIFYQ
 KYSQLLEEKKAANKNIMHNELNCTKSVSPMEAPPIGQRALTLESIEIDLGLAPEDKVVWSCPDKDWRLFGS
 HCYL VPTVSSASWNKSEENCSRMG AHL VVIQSQEEQDFITGILDTHAA YFIGLWDTGHRQWQVDQTPY
 EESITFWHNGEPSSGNEKCATIIYRWKTGWGWNDISCSLKQKSVQMKKINL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001170333

ORF Size: 789 bp


OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001170333.1, NP_001163804.1</u>
RefSeq Size:	2553 bp
RefSeq ORF:	789 bp
Locus ID:	26888
UniProt ID:	<u>Q9QZ15</u>
Cytogenetics:	6 58.18 cM
MW:	29.8 kDa
Gene Summary:	May be involved in regulating immune reactivity. May play a role in modulating dendritic cells (DC) differentiation and/or maturation (By similarity). May be involved in the inhibition of B-cell-receptor-mediated calcium mobilization and protein tyrosine phosphorylation. [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR203449