

## Product datasheet for MR203728

### Batf2 (NM\_028967) Mouse Tagged ORF Clone

#### Product data:

Product Type: Expression Plasmids  
 Product Name: Batf2 (NM\_028967) Mouse Tagged ORF Clone  
 Tag: Myc-DDK  
 Symbol: Batf2  
 Synonyms: 4933430F08Rik; B-ATF-2  
 Mammalian Cell Selection: Neomycin  
 Vector: pCMV6-Entry (PS100001)  
 E. coli Selection: Kanamycin (25 ug/mL)  
 ORF Nucleotide Sequence: >MR203728 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCCCGGATCGCC

ATGCAACTCTGTGGGAGTAGCGAGCTGCTGACTGAGACAGACCTTGGGGAGTCTCAGAAACAGCTGAAGA  
 AGAAGCAGAAGAACCGAGTGGCTGCCAGCGCAGCCGGCAGAAGCACACCAGTAAGGCGGACGCTCTGCA  
 CCAGCAGCACGAATCCTTGGAGAAACAGAACCAGCCCTTCGGAAGGAGATCCAGGCCTTGCACTGAG  
 CTGGCAGGGTGGGCGGACACTGCACTTGCATGAACGCCTGTGCAGAGTGGACTGTGATCCCTGCCCTG  
 TTCTGCTGCCCTCTGGATGCCCAATCCAGGCCAAGCAACCCTCAGGACAACCTGCCCTCTGGATACAA  
 TGGCTGCCAGGAACAACCTGGGCCTGTTCCAGACTCCGGGCTCATCTCCCCGAGCCAGCATCTCTCCA  
 GGTCCATGCTCTCATGAGTCTCCTGGCCTCCTCCCTCCCTCCTGCCTTCACTGGCCTTTGACCCCTCA  
 TGGTGAGGACACCTCTAGCCCAGCTCTCCCCAGCCCTGTCTGTCTGCATCATACCTTCTGGTCCAG  
 CCTGCTGGGGTCTTTCTAAGCTTGATCCCTCATACCCAGCCCCAAGACCAACTGGCCCCACCACAA  
 CCCCTCAGGCAGGAGCAGCCACCAGTGGGAGGCTGGCATCCTCTGACTCTCCAGCTGCTCTGGACCAG  
 AGTGTTCACAGAACAGAGAGCATTTGCCGGCACTGCCTGGCTCCTCCACTATTGGCAGAAGTCATCTGT  
 GGCCCCTAGCCACAGGCCCTCATGGCCTTCCCCCTGCTTCTTCTGCAAAAGTCCACTTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA



**Protein Sequence:** >MR203728 protein sequence  
 Red=Cloning site Green=Tags(s)



MQLCGSSELLTETDLGESQKQLKKKQKNRVAAQRSRQKHTSKADALHQQHESLEKQNHALRKEIQALQTE  
 LAGWGRTLHLHERLCRVDCDPCPVLLPSGCP IQAKQPSGQPAPLGYNGCQEQLGLFQTPGSSPRAQHLSP  
 GPCSHESPLLPSLLPSLAFDPLMVRTPLAQLSPSPVLSASSPSGSSLLGSFKLDPLIPSPQDQLAPPQ  
 PLRQEQPTSGRLASSDSPAALGPECSQNRHLPALPGSSTHWQKSSVAPSPQALMAFPLLSAKVHF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_028967

**ORF Size:** 831 bp


**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_028967.2</a>
<b>RefSeq Size:</b>	1433 bp
<b>RefSeq ORF:</b>	834 bp
<b>Locus ID:</b>	74481
<b>UniProt ID:</b>	<a href="#">Q8R1H8</a>
<b>Cytogenetics:</b>	19 A
<b>MW:</b>	29.7 kDa
<b>Gene Summary:</b>	AP-1 family transcription factor that controls the differentiation of lineage-specific cells in the immune system. Selectively suppresses CCN1 transcription and hence blocks the downstream cell proliferation signals produced by CCN1 and inhibits CCN1-induced anchorage-independent growth and invasion in several cancer types. Possibly acts by interfering with AP-1 binding to CCN1 promoter (By similarity). Following infection, participates in the differentiation of CD8(+) thymic conventional dendritic cells in the immune system. Acts via the formation of a heterodimer with JUN family proteins that recognizes and binds DNA sequence 5'-TGA[CG]TCA-3' and regulates expression of target genes. [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR203728