

Product datasheet for MR203736L3

Casp3 (NM_009810) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Casp3 (NM_009810) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Casp3
Synonyms:	A830040C14Rik; AC-; AC-3; Casp; CASP-3; Caspase-3; CC3; CPP; CPP-32; CPP32; Lice; mld; mldy; SCA-1; Ya; Yama
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR203736).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	


Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.



[View online »](#)

Plasmid Map:


ACCN: NM_009810

ORF Size: 831 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_009810.2](#)

RefSeq Size: 1466 bp

RefSeq ORF: 834 bp

Locus ID: 12367

UniProt ID: [P70677](#)

Cytogenetics: 8 26.39 cM

Gene Summary: This gene encodes a protein that belongs to a highly conserved family of cysteinyl aspartate-specific proteases that function as essential regulators of programmed cell death through apoptosis. Members of this family contain an N-terminal pro-domain and require cleavage at specific aspartate residues to become mature. The protein encoded by this gene belongs to a subgroup of cysteinyl aspartate-specific proteases that are activated by initiator caspases and that perform the proteolytic cleavage of apoptotic target proteins. Mice defective for this gene exhibit a variety of phenotypes including reduced neuronal apoptosis resulting in hyperplasias, hearing loss, attenuated osteogenic differentiation of bone marrow stromal stem cells, and pre- and post-natal lethality. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2015]