

Product datasheet for MR203953L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

PD-L1 (Cd274) (NM_021893) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PD-L1 (Cd274) (NM_021893) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: PD-L1

Synonyms: A530045L16Rik; B7h1; PD-; Pdcd1l; Pdcd1l1; Pdcd1lg1; Pdl1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR203953).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_021893

ORF Size: 873 bp



PD-L1 (Cd274) (NM_021893) Mouse Tagged Lenti ORF Clone - MR203953L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 021893.3, NP 068693.1

 RefSeq Size:
 3653 bp

 RefSeq ORF:
 873 bp

 Locus ID:
 60533

 UniProt ID:
 Q9EP73

 Cytogenetics:
 19 C1

Gene Summary: The protein encoded by this gene is an immune inhibitory receptor ligand that is expressed


by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types

of tumor cells. The encoded protein is a type I transmembrane protein that has


immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Mice deficient for this gene display a variety of phenotypes including decreased allogeneic fetal survival rates and severe experimental autoimmune encephalomyelitis. [provided by RefSeq, Sep 2015]



Product images:



Circular map for MR203953L3



Double digestion of MR203953L3 using Sgfl and Mlul $\,$