

## Product datasheet for MR204173L3V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **ElovI5 (NM\_134255) Mouse Tagged ORF Clone Lentiviral Particle**

#### **Product data:**

**Product Type:** Lentiviral Particles

Product Name: ElovI5 (NM 134255) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: ElovI5

**Synonyms:** 1110059L23Rik; Al747313; AU043003; HELO1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_134255

ORF Size: 900 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR204173).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 134255.2</u>

RefSeq Size: 2802 bp
RefSeq ORF: 900 bp
Locus ID: 68801
UniProt ID: Q8BHI7
Cytogenetics: 9 E1





#### **Gene Summary:**

Catalyzes the first and rate-limiting reaction of the four reactions that constitute the long-chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids (VLCFAs) per cycle. Condensing enzyme that acts specifically toward polyunsaturated acyl-CoA with the higher activity toward C18:3(n-6) acyl-CoA. May participate in the production of monounsaturated and of polyunsaturated VLCFAs of different chain lengths that are involved in multiple biological processes as precursors of membrane lipids and lipid mediators (By similarity). In conditions where the essential linoleic and alpha linoleic fatty acids are lacking it is also involved in the synthesis of Mead acid from oleic acid (PubMed:24184513). [UniProtKB/Swiss-Prot Function]