

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for MR204265L2V


## Cd38 (NM\_007646) Mouse Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Cd38 (NM_007646) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Cd38
Synonyms:	ADPRC 1; Cd38-r; Cd38-rs1; I-19
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_007646
ORF Size:	912 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR204265).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 007646.4</u>
RefSeq Size:	2995 bp
RefSeq ORF:	915 bp
Locus ID:	12494
UniProt ID:	<u>P56528</u>
Cytogenetics:	5 23.85 cM



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a non-lineage-restricted, type II transmembrane glycoprotein that<br/>synthesizes and hydrolyzes cyclic adenosine 5'-diphosphate-ribose, an intracellular calcium<br/>ion mobilizing messenger. The release of soluble protein and the ability of membrane-bound<br/>protein to become internalized indicate both extracellular and intracellular functions for the<br/>protein. This protein has an N-terminal cytoplasmic tail, a single membrane-spanning<br/>domain, and a C-terminal extracellular region with four N-glycosylation sites. Knockout mice<br/>deficient for this gene display altered humoral immune responses. In addition, knockout mice<br/>exhibit higher locomotor activity and defects in nurturing and social behaviors. [provided by<br/>RefSeq, Sep 2015]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US