

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for MR204456L3V

## Rnf126 (NM\_144528) Mouse Tagged ORF Clone Lentiviral Particle

## Product data:

Product Type:	Lentiviral Particles
Product Name:	Rnf126 (NM_144528) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Rnf126
Synonyms:	2610010O19Rik
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_144528
ORF Size:	942 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR204456).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 144528.1</u>
RefSeq Size:	1639 bp
RefSeq ORF:	942 bp
Locus ID:	70294
UniProt ID:	<u>Q91YL2</u>
Cytogenetics:	10 C1



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



### Rnf126 (NM\_144528) Mouse Tagged ORF Clone Lentiviral Particle – MR204456L3V

Gene Summary:

E3 ubiquitin-protein ligase that mediates ubiquitination oF target proteins (By similarity). Depending on the associated E2 ligase, mediates 'Lys-48'- and 'Lys-63'-linked polyubiquitination of substrates (PubMed:23418353). Part of a BAG6-dependent quality control process ensuring that proteins of the secretory pathway that are mislocalized to the cytosol are degraded by the proteasome (By similarity). Probably acts by providing the ubiquitination of the hydrophobic mislocalized proteins and their targeting to the proteasome (By similarity). May also play a role in the endosomal recycling of IGF2R, the cation-independent mannose-6-phosphate receptor (By similarity). May play a role in the endosomal sorting and degradation of several membrane receptors including EGFR, FLT3, MET and CXCR4, by mediating their ubiquitination (PubMed:23418353). By ubiquitinating CDKN1A/p21 and targeting it for degradation, may also promote cell proliferation (By similarity). May monoubiquitinate AICDA (By similarity).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US