

Product datasheet for MR204551

Cxxc5 (NM_133687) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cxxc5 (NM_133687) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Cxxc5
Synonyms:	4930415K17Rik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR204551 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCGAGCCTCGGCGGTGGCTCCAGGACGCCGGTGGCAGTAGCAGCAGCAGTAACACCAATAGCAGCA
GTGGCAGTGCCAAAAGGCAGGAGGAACAGACAAAAGTACCGGGTGGCCGCCACCACGGCGCCGACCTC
CGTGGCAGACGATGCCCCACCCCTGAGCGTCGGAACAAGAGCGGTATCATCAGTGAACCCCTCAACAAG
AGCCTGCGGCGCTCCCGACCACTCTCTCACTACTCTTCCCTTTGGTAGCAGTGGTGGCGGCGGAAGCATGA
TGGGGGTGGAGTCTGCTGACAAGGCAGCGCAGCCGACGCTCCCTATTGGCCAATGGTCATGACCTGGC
TGGCCATGGCAGTGGACAAAAGCAACCCCTACCTCAAAGCACAAAAGTGGTGTGTGGCCAGCCTGCTG
AGCAAGGCAGAGAGGGCCACAGAGCTGGCAGCTGAGGGACAGCTGACGCTGCAGCAGTTTGCACAGTCCA
CAGAGATGCTAAAGCGCGTGGTGCAGGAACACCTGCCACTGATGAGTGGCCGGTGGCCGCTGCCTGA
CATGGAGGCTGTGGCCGGCGCCGAAGCCCTCAATGGCCAGTCCGACTTCCCTATCTGGGCGCTTTCCCC
ATCAATCCAGGCCTTTCATCATGACCCAGCTGGCGTGTTCCTGGTGGAGTGCAGTGCACATGGCTG
GCCTGGCCGAGTACCCATGCAGGGAGAGCTGGCTTCCGCCATCAGCTCAGGCAAGAAGAAGCGAAACG
CTGCGGCATGTGTGCCCTGCCGGCGGCATCAACTGTGAGCAGTGCAGCAGTTGTAGGAACCGAAAG
ACTGGCCATCAGATTTGCAAATTCAGAAAGTGTGAAGAAGTCAAAAAGAAGCCTCCGCTGCTCTGGAGA
AGGTGATGCTTCCGTGGGAGCCGCTTCCGGTGGTTTCAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >MR204551 protein sequence
Red=Cloning site Green=Tags(s)

MSSLGGGSQDAGGSSSSNTNSSSGSQKAGGTDKSTAVAATTAPTSVADDAPPERRNKSIGIIEPLNK
 SLRRSRPLSHYSSFGSSGGGSMGVESADKAAAAASLLANGHDLAAAMAVDKSNPTSKHKSGAVASLL
 SKAERATELAAEGQLTLQQFAQSTEMLKRVVQEHPLMSEAGAGLPDMEAVAGAEALNGQSDFPYLGAFP
 INPGLFIMTPAGVFLAESALHMAGLAEYPMQGELASAISSGKKRKRKCGMCAPCRRRRINCEQCSSCRNRK
 TGHQICKFRKCEELKKKPSAALEKVMPLPSGAARFWFQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_133687

ORF Size: 954 bp


OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_133687.3
RefSeq Size:	2311 bp
RefSeq ORF:	954 bp
Locus ID:	67393
UniProt ID:	Q91WA4
Cytogenetics:	18 B2
MW:	32.8 kDa
Gene Summary:	May indirectly participate in activation of the NF-kappa-B and MAPK pathways. Acts as a mediator of BMP4-mediated modulation of canonical Wnt signaling activity in neural stem cells. Required for DNA damage-induced ATM phosphorylation, p53 activation and cell cycle arrest. Involved in myelopoiesis (By similarity). Binds to the oxygen responsive element of COX4I2 and represses its transcription under hypoxia conditions (4% oxygen), as well as normoxia conditions (20% oxygen). May repress COX4I2 transactivation induced by CHCHD2 and RBPJ (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR204551